



2024 處方集

(承保藥物清單)

**請閱讀：本文件內含
本計劃承保藥物的相關資訊**

處方集 ID 00023423, 第 9 版

本處方集更新於 2023 年 10 月 19 日。如需更多最新資訊或有其他疑問，請致電 Clever Care Health Plan 會員服務部，電話：1-833-808-8153 (普通話) 或者 1-833-808-8161 (廣東話) (聽障專線：711)，10 月 1 日至 3 月 31 日，服務時間為每週七天，上午 8 時至晚上 8 時；4 月 1 日至 9 月 30 日，服務時間為週一至週五，上午 8 時至晚上 8 時，或造訪 zh.clevercarehealthplan.com/formulary。

原有會員請注意：本處方集自去年以來已有變動。請查閱本文件以確定您所服用的藥物仍包含在內。

當本藥物清單提及「我們」或「我們的」，均指福全健保 (Clever Care Health Plan)。當提及「計劃」、「我們的計劃」或「您的計劃」時，指的是 Clever Care Longevity (HMO) 計劃，Clever Care Active (HMO) 計劃，Clever Care Value (HMO) 計劃，或者 Clever Care Total+ (HMO C-SNP) 計劃。

本文件包含我們計劃的藥物清單 (處方集)，最近更新日期為 10/19/2023。
若需要更新後的處方集，請與我們聯絡。我們的聯絡資訊與處方集的最近更新日期都列於封面與封底。

通常，您必須使用網絡內藥房才能享用您的處方藥福利。福利、處方集、藥局網絡和 / 或定額手續費 / 共同保險額可能在 2024 年 1 月 1 日變更，並在年度當中不定時變動。

Clever Care 處方集是什麼？

處方集是 Clever Care 諮詢健康照護提供者團隊後選出的承保藥物清單，涵蓋所有我們認為高品質治療方案之處方治療所必需的藥物。只要藥物為醫療所必需、於 Clever Care 網絡內藥房配處方藥，以及遵守其他計劃規定，Clever Care 通常會承保在我們的處方集所列出的藥物。若需有關如何配處方藥的更多資訊，請查閱您的承保範圍證明。

處方集（藥物清單）會變更嗎？

藥物承保範圍的大多數變更均發生在 1 月 1 日，但我們可能會在年度當中新增或移除藥物清單上的藥物，將其移至不同的費用分攤層級或新增限制。進行這些變更時，我們必須遵循 Medicare 規定。

今年可能影響您的變更：在下述情況下，承保範圍變更會在該年度當中對您造成影響。

新的學名藥。

- 如果我們用屬於相同或更低費用分攤層級，且限制相同或較少的新學名藥替換，我們可能會立即移除藥物清單上的原廠藥。此外，在增加新的學名藥時，我們可能會決定保留藥物清單上的原廠藥，但立即將其移至不同的費用分攤層級或新增限制。如果您目前正服用該原廠藥，我們可能不會在進行變更前事先告知，但我們之後會提供您我們所做具體變更的相關資訊。
 - 如果我們做出這類變更，您或您的開立處方者可要求我們為您進行例外處理，繼續為您承保該原廠藥。我們提供您的通知也將包含如何申請例外處理的資訊，且您可在以下章節找到資訊，標題為「我該如何申請 Clever Care 處方集的例外處理？」

藥物遭下市。

若食品藥物管理局 (Food and Drug Administration, FDA) 認為我們處方集上的某藥物不安全或製藥商將此藥物下市，我們將立刻將此藥物從我們的處方集上除名，並通知使用此藥物的會員。

其他變更。

- 我們可能實施會影響目前用藥之會員的其他變更。例如，我們可能會新增學名藥，以取代目前在處方集上的原廠藥；或對原廠藥新增新限制或移到不同的費用分攤層級，或兩者一併實施。或者，我們可能基於新的臨床準則進行變更。若我們從我們的處方集移去藥物，或對某藥物新增預先授權、數量限制和／或階段療法等限制，或者將一種藥物移至較高費用分攤層級，我們必須在變更生效前至少 30 天，或在會員要求續配該藥物時，通知受影響的會員，屆時該會員可獲得此藥物 30 天的用量。
 - 如果我們做出這類其他變更，您或您的開立處方者可要求我們為您進行例外處理，繼續為您承保該原廠藥。我們提供您的通知也將包含如何申請例外處理的資訊，且您也可在以下章節找到資訊，標題為「我該如何申請 Clever Care 處方集的例外處理？」

如果您目前正在服用該藥物，這些變更將不會對您造成影響。

通常，除上述情況外，若您正在服用我們 2024 年處方集年初承保的藥物，我們將不會在 2024 承保年度期間終止或減低承保。也就是說，對於在剩餘承保年度中繼續服用該等藥物的會員，這些藥物的費用分攤將維持不變，且無新的限制。若變更不會對您造成影響，您今年就不會直接收到變更通知。但是，下一年的 1 月 1 日，此類變更會影響到您，因此請務必在新福利年度的藥物清單中查清是否有藥物變更。

隨附的處方集是截至 10/19/2023 的最新資訊。若要取得 Clever Care 承保藥物的最新資訊，請聯絡我們。我們的聯絡資訊列於封面與封底。如果年中發生非維護性的處方集變更，我們會在我們的網站上發布所有通知，並將在變更生效前 30 天向您發送通知。

我該如何使用處方集？

有兩個方法可以在處方集內找到您的藥物：

醫療狀況

處方集從第 3 頁開始。本處方集內的藥物分類方式，是按藥物用來治療的醫療狀況類型而分門別類。例如，用來治療心臟病症的藥物列於「心血管藥物」類別之下。若您知道您的藥物用途，請在第 1 頁開始的清單上找尋類別名稱。然後在此類別名稱下找出您的藥物。

按英文字母順序排列的清單

如果您不確定您該在哪個類別下尋找，您應從第 1 頁開始的索引中尋找您的藥物。該索引依英文字母順序列出本文件所包含的所有藥物。原廠藥及學名藥都列在此索引中。在索引中找出您的藥物。您會在您的藥物旁看到頁碼，您可以在該頁找到該藥物的承保資訊。翻到索引所標示的頁數，在清單的第一欄找到您的藥物名稱。

什麼是學名藥？

Clever Care 同時承保原廠藥和學名藥。學名藥是經過 FDA 批准，具有與原廠藥相同主成分的藥物。通常，學名藥的費用低於原廠藥。

我的承保是否有任何限制？

某些承保藥物可能在承保範圍上有額外要求或限制。這些要求和限制可能包括：

預先授權：對於某些藥物，Clever Care 要求您或您的醫師應獲得預先授權。這表示您拿處方籤配藥前，將必須先得到 Clever Care 的核准。如果您未獲得核准，Clever Care 可能無法承保該藥物。

藥量限制：對於某些藥物，我們將限制我們承保的藥物數量。例如，我的計劃為每 30 天的處方提供 12 錠的 rizatriptan（MAXALT 的學名藥）。這可能是對標準一個月或三個月供應量之外所提供的額外量。

階段療法：在某些情況下，在為您的疾病承保另一種藥物之前，Clever Care 會要求您先嘗試用特定藥物進行治療。例如，如果藥物 A 及藥物 B 均可治療您的醫療狀況，Clever Care 可能要求您先嘗試藥物 A 後，才會承保藥物 B。如果藥物 A 對您無效，我們之後才會承保藥物 B。

您可以在從第 3 頁開始的處方集找出您的藥物是否有任何額外要求或限制。您亦可以造訪我們的網站，取得有關適用特定承保藥物的限制的更多資訊。我們已在網站上發布了預先授權及階段療法限制的說明文件。您也可要求我們將這些文件的副本寄給您。我們的聯絡資訊與處方集的最近更新日期都列於封面與封底。

您可以要求 Clever Care 針對這些藥物的限制或限額，或對可能治療您健康狀況之其他、類似藥物清單做出例外處理。請參閱第 v 頁的「我該如何申請 Clever Care 處方集的例外處理？」章節，以瞭解如何要求例外處理的資訊。

什麼是非處方 (OTC) 藥物？

非處方 (over-the-counter, OTC) 藥物為 Medicare 處方藥物計劃通常不會承保的非處方藥物。我們支付某些 OTC 藥物的費用。可以上網查詢 OTC 項目列表，網址：zh.clevercarehealthplan.com。Clever Care 將向您免費提供這些 OTC 藥物。由我們負擔的這些 OTC 藥物費用不會計入您的 D 部份藥物費用總額（即 OCT 藥物費用不會計入承保缺口）。

如果處方集上沒有我的藥物，我該怎麼辦？

如果此處方集（承保藥物清單）中沒有您的藥物，您應首先聯絡會員服務部，並詢問是否承保您的藥物。欲了解更多資訊，請聯繫我們。我們的聯繫資訊以及我們上次更新處方集的日期顯示在封面和封底上。如果您發現 Clever Care 不承保您的藥物，您有兩個選擇：

- 您可以要求會員服務部提供 Clever Care 承保的類似藥物清單。您收到此清單後，請將清單拿給您的醫師並請其開立 Clever Care 所承保之類似藥物的處方。
- 您可以要求 Clever Care 做出例外處理並承保您的藥物。請參閱下列資訊瞭解如何申請例外處理。

我該如何申請 Clever Care 處方集的例外處理？

您可以要求 Clever Care 對我們的承保規則做出例外處理。有數種類型的情況您可以要求我們做出例外處理。

- 您可以要求我們承保某藥物，即便此藥物不在我們的處方集上。若經核准，此藥物將以預先決定的費用分攤層級承保，您將不能要求我們以更低的費用分攤層級提供此藥物。
- 您可以要求以更低的費用分攤層級來承保此藥物除非此藥物屬於專科層級。若經核准，這將可能降低您必須對您的藥物付出的金額。
- 您可以要求我們取消對您藥物的承保限制或限額。例如，對於某些藥物，我們會限制我們對該藥物的承保數量。若您的藥物有數量上的限制，可以要求我們取消此限制並承保較大的數量。

通常，我們將只在下列情況下才會核准您所要求的例外處理：若該計劃處方集上包括數種替代藥物、費用分攤較低藥物或額外的使用限制，可能會對治療您的病況無法產生同等效果，和／或可能對您造成不良的醫療效果。

您應與我們聯絡，要求我們針對處方集或使用限制例外處理做出初步承保決定。**您申請處方集、層級或使用限制的例外處理時，應提交開立處方者或醫師提供的聲明，證實您的要求。**通常，我們必須在收到您開立處方者的佐證聲明 72 小時內做出決定。若您或您的醫師認為等候 72 小時才做決定對您的健康可能造成嚴重危害，您可以要求加快（快速）例外處理審核。若您的加快要求得到准許，我們必須在收到您醫師或其他開立處方者的佐證聲明後 24 小時內告知您我們的決定。

在與自己的醫師討論變更我自己的藥物或要求例外處理之前，我該做什麼？

身為我們計劃的全新或續保會員，您可能正在服用未包含在我們處方集上的藥物。或者，您可能正在服用我們處方集所包含的藥物，但您取得該藥的能力受到限制。例如，您可能需取得我們的預先授權，才能配您的處方藥。您應該洽詢您的醫師，決定您是否應該改用我們承保的適合藥物，或要求處方集例外處理，以便我們承保您使用的藥物。當您和您的醫師討論決定採取正確行動時，在您成為我們計劃會員的最初 90 天，在某些情況下我們可能會承保您的藥物。

針對您每一種不屬於我們處方集內的藥物，或您取得此藥物的能力受到限制時，我們將承保暫時性的 30 天用藥量。如果您處方開立的天數較短，我們將允許您續配處方，直到我們為您提供的藥量達到 30 天份量上限為止。您最初 30 天的用藥量用完後，我們將不再對這些藥物付費，即便您成為該計劃的會員不到 90 天。

如果您是長期照護機構的住民，且需要不在我們處方集上的藥物，或如果您取得藥物的能力受到限制，但您已成為我們的計劃會員超過 90 天，在您申請處方集例外處理期間，我們將支付該藥物 31 天的緊急用量。

注意事項：

- **正要從長期照護 (long-term care, LTC) 機構或醫院出院回家，並立即需要過渡藥量的計劃現有會員：**我們會承保一次 30 天藥量，或如果您的處方天數更短則藥量更少（在此情況下，我們會允許您多次領取處方藥，直到合計領取達 30 天藥量為止）。
- **正要從家中或醫院移至長期照護 (LTC) 機構，並立即需要過渡藥量的計劃現有會員：**我們會承保一次 31 天藥量，或如果您的處方天數更短則藥量更少（在此情況下，我們會允許您多次領取處方藥，直到合計領取達 31 天藥量為止）。

如需更多資訊

欲獲得有關您的 Clever Care 處方藥物承保的更多詳細資訊，請參閱您的**承保範圍證明**及其他計劃資料。如果您對 Clever Care 有任何疑問，請聯絡我們。我們的聯絡資訊與處方集的最近更新日期都列於封面與封底。

若您對 Medicare 處方藥物承保有任何一般疑問，請致電 Medicare，電話：1-800-MEDICARE (1-800-633-4227)，每天 24 小時／每週 7 天提供服務。聽障專線使用者請撥打 1-877-486-2048。或瀏覽 <http://www.medicare.gov>。

Clever Care 處方集

從第 1 頁開始的處方集提供有關 Clever Care 所承保藥物的承保資訊。若您無法在本清單上找到您的藥物，請翻到從第 I-1 頁開始的索引查詢。

表格第一欄所列的是藥物名稱。原廠藥以大寫字母表示（如 JARDIANCE），學名藥則以斜體小寫字母表示（如 *jasmiel*）。

要求／限制欄位的資訊會告訴您 Clever Care 對您藥物的承保是否有任何特殊要求。

圖例

要求符號	名稱	說明
BvD	Medicare B 部分與 Medicare D 部分	某些藥物可能需要根據 Medicare 承保規則，進行 B 部分或 D 部分承保範圍判斷。
CB	福利上限	該處方設有福利上限的限額。
EX	排除的藥物	此類處方藥通常不屬於 Medicare 處方藥物計劃承保範圍。您在為此類藥物配處方藥時所支付的費用，不會計入您的總藥物費用中。也就是說，您所支付的費用對您達到重大傷病承保階段 (catastrophic coverage) 並沒有幫助。此外，如果您正在接受額外補助 (Extra Help) 來支付您的處方藥費用，您將不會得到任何支付此藥物的額外補助。
GC	缺口承保	我們在承保缺口 (Coverage Gap) 階段為該處方藥提供額外的承保。如需有關該承保的更多資訊，請參閱您的承保範圍證明。
LA	取得來源有限	該處方可能只能在特定的藥房才可取得。如需更多資訊，請查閱您的藥局目錄，或致電 1-833-808-8153 (普通話) 或者 1-833-808-8161 (廣東話) (聽障專線：711) 與 Clever Care 會員服務部聯絡。或者造訪 zh.clevercarehealthplan.com 。
NSO	僅限初次服用	如果您尚未服用過此藥物，您或您的醫師需要獲得預先授權。
PA	預先授權	此處方的承保需要預先授權。
QL	藥量限制	該藥物有劑量或處方數量限制。每日最大劑量限制由 FDA 定義。
ST	階段療法	已嘗試過其他一線或首選藥物療法後，才會提供此處方的承保。

目錄

Analgesics	3
Anesthetics	8
Anti-Addiction/Substance Abuse Treatment Agents	9
Antianxiety Agents	10
Antibacterials	11
Anticancer Agents	19
Anticonvulsants	34
Antidementia Agents	39
Antidepressants	40
Antidiabetic Agents	42
Antifungals	47
Antigout Agents	49
Antihistamines	50
Anti-Infectives (Skin And Mucous Membrane)	50
Antimigraine Agents	51
Antimycobacterials	52
Antinausea Agents	53
Antiparasite Agents	54
Antiparkinsonian Agents	55
Antipsychotic Agents	57
Antivirals (Systemic)	62
Blood Products/Modifiers/Volume Expanders	69
Caloric Agents	73
Cardiovascular Agents	75
Central Nervous System Agents	87
Contraceptives	92
Cough And Cold Products	100

Dental And Oral Agents	100
Dermatological Agents.....	100
Devices	106
Enzyme Replacement/Modifiers	145
Eye, Ear, Nose, Throat Agents	146
Gastrointestinal Agents.....	151
Genitourinary Agents	155
Heavy Metal Antagonists.....	156
Hormonal Agents, Stimulant/Replacement/Modifying	156
Immunological Agents	162
Inflammatory Bowel Disease Agents	172
Metabolic Bone Disease Agents.....	173
Miscellaneous Therapeutic Agents	174
Ophthalmic Agents.....	176
Replacement Preparations	178
Respiratory Tract Agents	180
Skeletal Muscle Relaxants	184
Sleep Disorder Agents.....	185
Vasodilating Agents.....	186
Vitamins And Minerals.....	187

藥物名稱	藥物 等級	要求/限制
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine 120-12 mg/5 ml cup outer 120 mg-12 mg /5 ml (5 ml)</i>	2	GC; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	GC; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	GC; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i> (codeine-butalbital-asa-caff)	2	GC; NDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i> (Buprenex)	2	GC
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	GC
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans)	2	GC; NDS; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i> (Fioricet with Codeine)	2	GC; NDS; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> (Zebutal)	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	2	GC; NDS; QL (5 per 28 days)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)	2	GC; NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)	2	GC; NDS; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)	2	GC; NDS; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)	2	GC; NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	2	PA; GC; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	GC; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	GC; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	GC; NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	GC; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	GC; NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	GC; NDS; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>methadose oral tablet,soluble 40 mg</i> (methadone)	2	GC; NDS; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; GC; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	GC; NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	GC; NDS; QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; GC; NDS; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	GC; NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg</i> (OxyContin)	3	NDS; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	GC; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	GC; NDS; QL (240 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
OXYCONTIN ORAL (oxycodone) TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	NDS; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC; NDS; QL (60 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 40 mg</i>	5	NDS; QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i> (butalbital- acetaminophen)	2	GC; QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	GC; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	GC; NDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	5	NDS; QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i> (butalbital- acetaminophen-caff)	2	GC; QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg</i>	2	GC; QL (150 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Aleve (diclofenac))	2	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; GC; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	GC
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	GC
<i>diflunisal oral tablet 500 mg</i>	2	GC
<i>ec-naproxen dr 500 mg tablet</i> (naproxen)	2	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	GC
<i>etodolac oral tablet 500 mg</i>	2	GC
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	GC
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	GC; QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	GC; QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	GC
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis)	2	PA; GC; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>indomethacin oral capsule, extended release 75 mg</i>	2	GC; QL (60 per 30 days)
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	2	GC
<i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>	2	GC
<i>ketorolac injection cartridge 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml, 30 mg/ml (1 ml)</i>	2	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)	2	GC
<i>naproxen oral tablet,delayed release (dr/ec) 500 mg</i> (EC-Naproxen)	2	GC
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
<i>tolmetin oral capsule 400 mg</i>	2	GC
<i>tolmetin oral tablet 600 mg</i>	2	GC
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl 2% 40 mg/2 ml ampule</i> (Xylocaine-MPF) <i>outer,p/f,sdv 20 mg/ml (2 %)</i>	2	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)</i> (Xylocaine)	2	GC
<i>lidocaine hcl injection solution 5 mg/ml (0.5 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	2	GC; QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	GC
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (2688 per 365 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NDS; QL (1.5 per 30 days)
<i>varenicline oral tablet 0.5 mg</i>	2	GC; QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix)	2	GC; QL (336 per 365 days)
<i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	GC
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	GC; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	GC; NDS; QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>clonazepam oral tablet,disintegrating</i> 2 mg	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet</i> 15 mg, 3.75 mg, 7.5 mg	2	GC; QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	GC; NDS; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	GC; NDS; QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	2	GC; NDS; QL (150 per 30 days)
<i>lorazepam 2 mg/ml vial 25's,outer</i> (Ativan)	1	GC
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	GC
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	2	GC; QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	2	GC; NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; NDS; QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	GC; NDS; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	GC; NDS; QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	GC; NDS; QL (60 per 30 days)
Antibacterials		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	2	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	GC
Antibacterials, Miscellaneous		
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF)	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	GC
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	GC
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	GC; QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	GC; QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	4	
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefactor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC
<i>cefactor oral tablet extended release 12 hr 500 mg</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>cefadroxil oral tablet 1 gram</i>	2	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefazolin intravenous recon soln 3 gram</i>	4	
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	GC
<i>cefixime oral capsule 400 mg</i>	2	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 (Tazicef) gram, 2 gram, 6 gram</i>	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg</i>	2	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
<i>azithromycin intravenous recon soln (Zithromax) 500 mg</i>	2	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)</i>	2	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules)</i>	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)</i>	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC
Miscellaneous B-Lactam Antibiotics		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	2	GC
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	GC
Quinolones		
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin 400 mg/250 ml bag</i>	2	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	2	GC
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	GC
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	GC
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>doxycycline hyclate oral tablet 20 mg</i>	2	GC
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 75 mg</i>	2	GC
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i> (Doryx)	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxine NL)	2	GC
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	GC
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxine nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	GC
<i>mondoxine nl oral capsule 75 mg</i> (doxycycline monohydrate)	2	GC; QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i> (fluorouracil)	2	PA BvD; GC
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	2	GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD; GC
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml, 500 mg/ml</i>	5	PA BvD; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST; GC
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NDS
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/4 ml (20 mg/ml)</i>	2	GC
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL 40 MG/ML	5	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	GC
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	GC
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NDS; QL (60 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	PA BvD; GC
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	2	PA BvD; GC
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; GC; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 560 MG	5	NDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	GC
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	GC
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO; GC
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB)	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD; GC
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)	5	NDS
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NDS
<i>pemetrexed intravenous recon soln 1 gram</i>	5	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SCSEMBLIX ORAL TABLET 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SCSEMBLIX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	GC
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	3	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	2	PA BvD; GC
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NDS; QL (20 per 28 days)
Anticonvulsants		
Anticonvulsants		
APTOM ORAL TABLET 200 MG, 400 MG	5	ST; NDS; QL (30 per 30 days)
APTOM ORAL TABLET 600 MG, 800 MG	5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	GC
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	GC; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	GC
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	GC
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	GC; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	GC; QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	GC; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	GC; QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	GC
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	GC
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml) (Trileptal)	2	GC
oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg (Trileptal)	2	GC
phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)	2	GC
phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg	2	GC
phenytoin 50 mg/ml ampul sdv	2	GC
phenytoin oral suspension 125 mg/5 ml (Dilantin-125)	2	GC
phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)	2	GC
phenytoin sodium extended oral capsule 100 mg (Dilantin Extended)	2	GC
phenytoin sodium extended oral capsule 200 mg, 300 mg (Phenytek)	2	GC
phenytoin sodium intravenous solution 50 mg/ml	2	GC
phenytoin sodium intravenous syringe 50 mg/ml	2	GC
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg (Lyrica)	2	GC; QL (90 per 30 days)
pregabalin oral capsule 225 mg, 300 mg (Lyrica)	2	GC; QL (60 per 30 days)
pregabalin oral solution 20 mg/ml (Lyrica)	2	GC; QL (900 per 30 days)
primidone oral tablet 125 mg	2	GC
primidone oral tablet 250 mg, 50 mg (Mysoline)	2	GC
rufinamide oral suspension 40 mg/ml (Banzel)	5	NDS
rufinamide oral tablet 200 mg (Banzel)	2	GC
rufinamide oral tablet 400 mg (Banzel)	5	NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>subvenite oral tablet 100 mg, 150 mg, (lamotrigine) 200 mg, 25 mg</i>	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle 15 (Topamax) mg, 25 mg</i>	2	GC
<i>topiramate oral tablet 100 mg, 200 (Topamax) mg, 25 mg, 50 mg</i>	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
VALTOCO NASAL SPRAY, NON- AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	4	
VALTOCO NASAL SPRAY, NON- AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	5	NDS
<i>vigabatrin oral powder in packet 500 (Vigadrone) mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg (Vigadrone)</i>	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 (vigabatrin) mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg (vigabatrin)</i>	5	PA NSO; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	GC
<i>zonisamide oral capsule 50 mg</i>	2	GC
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	GC; QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	GC; QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	4	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	4	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	GC; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	GC
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	GC; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	GC
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	GC
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	GC; QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	2	GC; QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	2	GC; QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	GC; QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	GC; QL (30 per 30 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	GC; QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	GC; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	GC; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	GC; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	GC; QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA NSO; GC; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	GC; QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA NSO; GC; QL (3 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	PA NSO; GC; QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	GC; QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	2	GC; QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	GC; QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	2	GC; QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA NSO; GC; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	GC; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	GC; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	GC; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	GC; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	GC; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	GC; QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制	
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA NSO; GC; QL (2 per 28 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	GC; QL (30 per 30 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	GC; QL (60 per 30 days)	
Insulins			
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)	
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70- 30FlexPen U-100)	2	GC; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U- 100 Insuln)	2	GC; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	2	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U- 100 Insulin)	2	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	GC; QL (40 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE- (insulin glargine-yfgn) YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SEMGLEE(INSULIN GLARG- (insulin glargine-yfgn) YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	GC; QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release</i> (Glucotrol XL) <i>24hr 10 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release</i> (Glucotrol XL) <i>24hr 2.5 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NDS
<i>caspofungin intravenous recon soln 50 mg</i> (Cancidas)	2	GC
<i>caspofungin intravenous recon soln 70 mg</i> (Cancidas)	5	NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	GC; QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	2	GC; QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i>	2	GC
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	GC; QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	GC; QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	GC
<i>clotrimazole topical solution 1 %</i>	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC; QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	GC; QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	GC
<i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan)	2	GC
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	GC
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	5	PA; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC; QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; GC; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML (posaconazole)	5	NDS
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	GC; QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	GC
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>posaconazole intravenous solution 300 mg/16.7 ml</i> (Noxafil)	5	NDS
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	5	PA; NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	GC
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	PA; GC; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; GC; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
MITIGARE ORAL CAPSULE 0.6 (colchicine) MG	2	GC; QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	GC
<i>clemastine oral tablet 2.68 mg</i>	2	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>cyproheptadine oral tablet 4 mg</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl oral elixir 12.5 (Diphen) mg/5 ml</i>	2	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral solution 2.5 mg/5 (Xyzal) ml</i>	2	GC
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	GC
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal (Cleocin) cream 2 %</i>	2	GC
<i>metronidazole vaginal gel 0.75 % (Vandazole) (37.5mg/5 gram)</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
Antimigraine Agents		
Antimigraine Agents		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	5	NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray,non- aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> (Imitrex)	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> (Imitrex)	2	GC; QL (18 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	2	GC; QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	GC; QL (6 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
APONVIE INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (4.4 per 28 days)
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; GC
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; GC; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	5	PA BvD; NDS; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	GC; QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	GC
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	GC
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	GC
<i>promethazine injection solution 50 mg/ml</i> (Phenergan)	2	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> (promethazine)	2	GC
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	GC; QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	GC
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	GC
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	GC
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	GC
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	GC
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD; GC
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	GC
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; GC; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	GC
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>amantadine hcl oral tablet 100 mg</i>	2	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i>	2	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	GC
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	2	GC
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	GC
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	4	ST; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, (Mirapex)</i> <i>0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5</i> <i>mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	2	GC
<i>ropinirole oral tablet 0.25 mg, 0.5</i> <i>mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>ropinirole oral tablet extended</i> <i>release 24 hr 12 mg, 2 mg, 4 mg, 6</i> <i>mg, 8 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5</i> <i>mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
<i>aripiprazole oral solution 1 mg/ml</i>	2	GC
<i>aripiprazole oral tablet 10 mg, 15 (Abilify)</i> <i>mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	2	GC
<i>aripiprazole oral</i> <i>tablet,disintegrating 10 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>aripiprazole oral</i> <i>tablet,disintegrating 15 mg</i>	2	ST; GC; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 14 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	GC
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	2	GC
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	GC
<i>clozapine oral tablet</i> 100 mg, 200 (Clozaril) mg, 25 mg, 50 mg	2	GC
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection</i> <i>solution</i> 25 mg/ml	2	GC
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	2	GC
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	2	GC
<i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml	2	GC
<i>fluphenazine hcl oral tablet</i> 1 mg, 10 mg, 2.5 mg, 5 mg	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 70 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	5	NDS; QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	5	NDS; QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	GC
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	GC
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	GC
<i>quetiapine oral tablet 150 mg</i>	2	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	GC
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	GC
<i>risperidone oral tablet 0.25 mg</i>	2	GC
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	GC
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	GC
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	GC; QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)

Antivirals (Systemic)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	GC
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	GC
APRETUDE INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg</i>	2	GC
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	GC
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
<i>darunavir ethanolate oral tablet 600 mg, 800 mg</i> (Prezista)	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
EDURANT ORAL TABLET 25 MG	5	NDS
efavirenz oral capsule 200 mg, 50 mg	2	GC
efavirenz oral tablet 600 mg	2	GC
efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg (Atripla)	5	NDS
efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg (Symfi Lo)	5	NDS
efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg (Symfi)	5	NDS
emtricitabine oral capsule 200 mg (Emtriva)	2	GC
emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg (Truvada)	5	NDS
emtricitabine-tenofovir (tdf) oral tablet 200-300 mg (Truvada)	2	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
etravirine oral tablet 100 mg, 200 mg (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
fosamprenavir oral tablet 700 mg (Lexiva)	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NDS
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG	5	NDS
ISENTRESS ORAL TABLET, CHEWABLE 25 MG	4	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
JULUCA ORAL TABLET 50-25 MG	5	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	GC
<i>lamivudine oral tablet 100 mg</i>	2	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	GC; QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	2	GC; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYM TUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NDS
TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine)	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
Antivirals, Miscellaneous		
BEYFORTUS INTRAMUSCULAR SYRINGE 100 MG/ML, 50 MG/0.5 ML	4	PA
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	GC; QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100- 100 MG	5	PA; NDS; QL (28 per 28 days)
Interferons		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	GC
<i>cidofovir intravenous solution 75 mg/ml</i>	5	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	GC
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	GC
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	5	PA BvD; NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
<i>dabigatran etexilate oral capsule 150 mg, 75 mg</i> (Pradaxa)	2	ST; GC; QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	GC; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	GC; QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	GC; QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	GC; QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	GC; QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	GC; QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	GC; QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml</i>	2	GC
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTelet (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTelet (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTelet (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML) (plerixafor)	5	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
<i>plerixafor subcutaneous solution 24</i> (Mozobil) <i>mg/1.2 ml (20 mg/ml)</i>	5	NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NDS
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 6 MG/0.6 ML	5	PA; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	2	GC
<i>tranexamic acid oral tablet 650 mg</i>	2	GC
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	GC; QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD; GC
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i>	2	GC
<i>dextrose 5%-water iv soln single use</i>	2	GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	GC; QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	GC
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	GC
EDARBI ORAL TABLET 40 MG, 80 MG	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	GC; QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	GC; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	2	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50- 12.5 mg</i> (Hyzaar)	1	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	GC
<i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	2	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320- 12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	GC
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>benazepril oral tablet 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	GC
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	2	ST; GC; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	GC
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	GC
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	GC
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	3	
<i>pacерone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC
<i>quinidine sulfate oral tablet 300 mg</i>	2	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC

藥物名稱	藥物 等級	要求/限制
<i>atenolol-chlorthalidone oral tablet</i> (Tenoretic 100) 100-25 mg	2	GC
<i>atenolol-chlorthalidone oral tablet</i> (Tenoretic 50) 50-25 mg	2	GC
<i>betaxolol oral tablet</i> 10 mg, 20 mg	2	GC
<i>bisoprolol fumarate oral tablet</i> 10 mg, 5 mg	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet</i> 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg	2	GC
<i>carvedilol oral tablet</i> 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)	1	GC
<i>labetalol intravenous solution</i> 5 mg/ml	2	GC
<i>labetalol intravenous syringe</i> 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)	2	GC
<i>labetalol oral tablet</i> 100 mg, 200 mg, 300 mg	2	GC
<i>metoprolol succinate oral tablet</i> (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet</i> 100-25 mg, 100-50 mg, 50-25 mg	2	GC
<i>metoprolol tartrate intravenous solution</i> 5 mg/5 ml	2	GC
<i>metoprolol tartrate oral tablet</i> 100 mg, 50 mg (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet</i> 25 mg	1	GC
<i>nadolol oral tablet</i> 20 mg, 40 mg, 80 mg (Corgard)	2	GC
<i>nebivolol oral tablet</i> 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)	2	GC
<i>pindolol oral tablet</i> 10 mg, 5 mg	2	GC
<i>propranolol intravenous solution</i> 1 mg/ml	2	GC
<i>propranolol oral capsule, extended release</i> 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)	2	GC

藥物名稱	藥物 等級	要求/限制
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	2	GC
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	2	GC
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	GC
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg</i> (Calan SR)	2	GC
<i>verapamil oral tablet extended release 180 mg, 240 mg</i>	2	GC
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	GC; QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	GC; QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digoxin injection solution 250 mcg/ml (0.25 mg/ml)</i> (Lanoxin)	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	2	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	GC; QL (4 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	GC; QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	GC; QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NDS; QL (18 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML	4	QL (4 per 30 days)
SYMJEPI INJECTION SYRINGE 0.3 MG/0.3 ML (epinephrine)	4	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	GC
<i>amlodipine-valsartan-hctiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	GC
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	GC
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	GC
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	GC
spironolactone oral tablet 100 mg, 25 (Aldactone) mg, 50 mg	1	GC
spironolacton-hydrochlorothiaz oral tablet 25-25 mg	2	GC
toremide oral tablet 10 mg, 100 mg, 5 mg	2	GC
toremide oral tablet 20 mg (Soaanz)	2	GC
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg	1	GC
triamterene-hydrochlorothiazid oral (Maxzide-25mg) tablet 37.5-25 mg	1	GC
triamterene-hydrochlorothiazid oral (Maxzide) tablet 75-50 mg	1	GC
Dyslipidemics		
amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 5-10 mg	2	GC
amlodipine-atorvastatin oral tablet (Caduet) 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg	2	GC; QL (30 per 30 days)
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	GC
atorvastatin oral tablet 10 mg, 20 (Lipitor) mg, 40 mg, 80 mg	1	GC; QL (30 per 30 days)
cholestyramine (with sugar) oral (Questran) powder in packet 4 gram	2	GC
cholestyramine light oral powder in (cholestyramine- packet 4 gram aspartame)	2	GC
colesevelam oral powder in packet (WelChol) 3.75 gram	2	GC
colesevelam oral tablet 625 mg (WelChol)	2	GC
colestipol oral packet 5 gram (Colestid)	2	GC
colestipol oral tablet 1 gram (Colestid)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	2	GC
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	GC; QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG	5	PA; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	GC; QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	GC
<i>niacor oral tablet 500 mg</i> (niacin)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	GC; QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	GC
CAROSPIR ORAL SUSPENSION 25 MG/5 ML	4	ST; QL (600 per 30 days)
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	GC
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>isosorbide-hydralazine oral tablet</i> (BiDil) 20-37.5 mg	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3</i> (Nitrostat) <i>mg, 0.4 mg, 0.6 mg</i>	2	GC
<i>nitroglycerin transdermal patch 24</i> (Nitro-Dur) <i>hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr,</i> <i>0.6 mg/hr</i>	2	GC
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18</i> (Strattera) <i>mg, 25 mg, 40 mg</i>	2	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60</i> (Strattera) <i>mg, 80 mg</i>	2	GC; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml)	2	PA BvD; GC
<i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml)	2	GC
<i>clonidine hcl oral tablet extended release</i> 12 hr 0.1 mg (Kapvay)	2	GC
<i>dalfampridine oral tablet extended release</i> 12 hr 10 mg (Ampyra)	2	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet</i> 10 mg, 2.5 mg, 5 mg (Focalin)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release</i> 10 mg (Dexedrine Spansule)	2	GC; QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release</i> 15 mg, 5 mg	2	GC; QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 10 mg (Zenzedi)	2	GC; QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 15 mg, 5 mg (Zenzedi)	2	GC; QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 20 mg, 30 mg (Zenzedi)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 10 mg, 15 mg, 5 mg (Adderall XR)	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 20 mg, 25 mg, 30 mg (Adderall XR)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 120 mg (Tecfidera)	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 120 mg (14)- 240 mg (46) (Tecfidera)	5	PA; NDS

藥物名稱	藥物 等級	要求/限制
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NDS; QL (30 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	GC
GILENYA ORAL CAPSULE 0.25 MG	5	PA; NDS; QL (60 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	GC
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	GC; QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>methylphenidate hcl oral tablet</i> (Metadate ER) <i>extended release 20 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet</i> <i>extended release 24hr 18 mg (bx</i> <i>rating), 27 mg (bx rating), 54 mg (bx</i> <i>rating)</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet</i> (Concerta) <i>extended release 24hr 18 mg, 27 mg,</i> <i>54 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet</i> (Concerta) <i>extended release 24hr 36 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet</i> <i>extended release 24hr 36 mg (bx</i> <i>rating)</i>	2	GC; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25</i> (Xenazine) <i>mg</i>	5	PA; NDS; QL (112 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2 GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2 GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2 GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2 GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2 GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2 GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		2 GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2 GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2 GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2 GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2 GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2 GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2 GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1 GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2 GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2 GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron) 2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron) 2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron) 1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive)) 1	GC
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad) 2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol) 2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol) 2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol) 2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad) 2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive)) 1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28)) 2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Enskyce) 2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28)) 2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda) 2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol) 2	GC
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol) 2	GC; QL (1 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物 等級	要求/限制
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	GC; QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	GC; QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1 GC
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2 GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2 GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2 GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2 GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1 GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2 GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2 GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2 GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2 GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2 GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2 GC
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2 GC; QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2 GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2 GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2 GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2 GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2 GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物 等級	要求/限制
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>luteria (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg	2	GC
nikki (28) oral tablet 3-0.02 mg (drospirenone-ethinyl estradiol)	2	GC
norethindrone (contraceptive) oral tablet 0.35 mg (Camila)	1	GC
norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg (Aurovela 1.5/30 (21))	2	GC
norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg (Aurovela 1/20 (21))	2	GC
norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4) (Merzee)	2	GC
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7) (Aurovela Fe 1-20 (28))	1	GC
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (Aurovela Fe 1.5/30 (28))	2	GC
norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9) (Tri-Legest Fe)	2	GC
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg (Tri-Lo-Estarylla)	2	GC
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (Tri-Estarylla)	2	GC
norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg (Mili)	2	GC
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg	2	GC
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)	2	GC
nortrel 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	2	GC
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	GC
nylia 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	2	GC
nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	GC
nymyo oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)	2	GC
philith oral tablet 0.4-35 mg-mcg	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物 等級	要求/限制
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		2	GC
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)		4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	2	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	2	GC
<i>tulana oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>tyblume oral tablet, chewable 0.1 mg-20 mcg</i>	4	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	2	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2 GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2 GC
Cough And Cold Products		
Cough And Cold Products		
<i>benzonatate oral capsule 100 mg, 200 mg</i>		6 EX
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2 GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1 GC
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1 GC
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1 GC
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1 GC
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	2 GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1 GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1 GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2 GC
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1 GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Fluoridex Sensitivity Relief)	1 GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralene)	2 GC
Dermatological Agents		
Dermatological Agents, Other		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2 GC
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2 GC
<i>acyclovir topical cream 5 %</i>	(Zovirax)	2 GC; QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2 GC; QL (30 per 30 days)
ALCOHOL 70% SWABS	(Alcohol Pads)	1 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ALCOHOL PADS TOPICAL PADS, (alcohol swabs) MEDICATED	1	GC
ALCOHOL PREP SWABS (alcohol swabs) TOPICAL PADS, MEDICATED	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	GC
BD SINGLE USE SWAB (alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Calsodore)	2	GC; QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	GC; QL (120 per 30 days)
CARETOUCH ALCOHOL 70% (alcohol swabs) PREP PAD	1	GC
CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM	1	GC
DROPSAFE ALCOHOL 70% PREP (alcohol swabs) PADS	1	GC
EASY COMFORT ALCOHOL 70% (alcohol swabs) PAD	1	GC
EASY TOUCH ALCOHOL 70% (alcohol swabs) PADS GAMMA-STERILIZED	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS	1	GC
<i>imiquimod topical cream in packet 5 %</i>	2	GC; QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP (alcohol swabs) PAD	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (180 per 30 days)
<i>penciclovir topical cream 1 %</i> (Denavir)	2	GC
<i>podofilox topical solution 0.5 %</i>	2	GC
PRO COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	GC
PURE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	GC
RA ISOPROPYL ALCOHOL 70% (alcohol swabs) WIPES	1	GC
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	GC
SURE-PREP ALCOHOL PREP (alcohol swabs) PADS	1	GC
TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	GC
TRUE COMFORT PRO ALCOHOL (alcohol swabs) PADS	1	GC
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NDS
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	GC
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Clindacin)	2	GC; QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	GC
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac)	2	GC
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	GC
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	GC; QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC; QL (180 per 30 days)
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	GC
<i>gentamicin topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	GC
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	GC
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	GC
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	GC
<i>ala-scalp topical lotion 2 %</i>	2	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical foam (Luxiq) 0.12 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene (augmented))</i>	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol topical foam 0.05 % (Olux)</i>	2	GC
<i>clobetasol topical gel 0.05 %</i>	2	GC
<i>clobetasol topical lotion 0.05 % (Clobex)</i>	2	GC
<i>clobetasol topical ointment 0.05 % (Temovate)</i>	2	GC
<i>clobetasol topical shampoo 0.05 % (Clobex)</i>	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>clobetasol-emollient topical foam 0.05 % (Olux-E)</i>	2	GC
<i>desonide topical cream 0.05 % (DesOwen)</i>	2	GC
<i>desonide topical lotion 0.05 %</i>	2	GC
<i>desonide topical ointment 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.05 %, 0.25 % (Topicort)</i>	2	GC; QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 % (Topicort)</i>	2	GC; QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 % (Topicort)</i>	2	GC; QL (120 per 30 days)
<i>diflorasone topical ointment 0.05 %</i>	2	GC; QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical gel 0.05 %</i>	2	GC
<i>fluocinonide topical ointment 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	GC
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocortisone 2.5% cream</i>	1	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	2	GC; QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	GC
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	GC
<i>hydrocortisone-min oil-wht pet topical ointment 1 %</i>	1	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	GC
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	GC
<i>adapalene topical gel 0.1 %</i> (Differin)	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	GC
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA; GC
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	GC
<i>permethrin topical cream 5 %</i> (Elimite)	2	GC; QL (60 per 30 days)
Devices		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物 等級	要求/限制
Devices			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2 GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2 GC
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2 GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2 GC
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2 GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2 GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2 GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2 GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		2 GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		2 GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		2 GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		2 GC
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 1 ML 30 GAUGE X 1/2"	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC
BD INSULIN SYR 1 ML 25GX5/8" (insulin syringe-needle 1 ML 25 GAUGE X 5/8" u-100)	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	GC
BD INSULIN SYR 1 ML 28GX1/2" (Comfort EZ Insulin (OTC) 1 ML 28 GAUGE X 1/2" Syringe)	2	GC
BD INSULIN SYRINGE 1 ML W/O (insulin syringe NEEDLE needleless)	2	GC
BD LUER-LOK SYRINGE 1 ML (Easy Touch Luer Lock Insulin)	2	GC
BD NANO 2 GEN PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	GC
BD SAFETGLD INS 0.5 ML (insulin syringe-needle 13MMX29G 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	GC
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	GC
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	GC
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	GC
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	GC
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X 2 " (gauze bandage)	1	GC
CAREFINE PEN NEEDLE 12.7MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16" (Advocate Syringes)	2	GC
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"	2	GC
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
CLICKFINE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	2	GC
CLICKFINE UNIVERSAL 31G X (pen needle, diabetic) 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	2	GC
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	GC
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
COMFORT EZ INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
COMFORT EZ INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100) ML 31 GAUGE X 5/16"	2	GC
COMFORT EZ PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 33G 33 GAUGE X 5/32"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 31G MINI 31 GAUGE X 3/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16"	2	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	GC
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic, safety) 4MM 31 GAUGE X 5/32"	2	GC
COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic, safety) 5MM 31 GAUGE X 3/16"	2	GC
COMFORT EZ SYR 0.3 ML (insulin syringe-needle u-100) 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 0.5 ML (insulin syringe-needle u-100) 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 0.5 ML (insulin syringe-needle u-100) 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 0.5 ML (insulin syringe-needle u-100) 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML (insulin syringe-needle u-100) 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML (insulin syringe-needle u-100) 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML (insulin syringe-needle u-100) 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML (insulin syringe-needle u-100) 30GX5/16" 1 ML 30 GAUGE X 5/16"	2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	GC
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage) 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	GC
DROPLET PEN NEEDLE 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	2	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)	2	GC
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	GC
EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless)	2	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	GC
EMBRACE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC
EMBRACE PEN NEEDLE 30G (pen needle, diabetic) 5MM 30 GAUGE X 3/16"	2	GC
EMBRACE PEN NEEDLE 30G (pen needle, diabetic) 8MM 30 GAUGE X 5/16"	2	GC
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
EMBRACE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
EQL INSULIN 0.3 ML SYRINGE (Ultra Comfort Insulin SHORT NEEDLE 0.3 ML 30 Syringe)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE (Lite Touch Insulin Syringe)	2	GC
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16" (Lite Touch Insulin Syringe)	2	GC
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16" (Advocate Syringes)	2	GC
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16 (Advocate Syringes)	2	GC
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	GC
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	GC
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML 30GX5/16" (Advocate Syringes) 0.3 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYR 0.3 ML (UltiCare Insuln Syr(half 31GX1/4(1/2) 0.3 ML 31 GAUGE X unit)) 1/4"	2	GC
INSULIN SYRIN 0.3 ML 30GX1/2" (Comfort EZ Insulin SHORT NEEDLE 0.3 ML 30 Syringe) GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML 28GX1/2" (Comfort EZ Insulin 1/2 ML 28 GAUGE X 1/2" Syringe)	2	GC
INSULIN SYRIN 0.5 ML 29GX1/2" (Comfort EZ Insulin (OTC) 0.5 ML 29 GAUGE X 1/2" Syringe)	2	GC
INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin SHORT NEEDLE (OTC) 0.5 ML 30 Syringe) GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYRINGE 0.5 ML 27G 1/2" (Easy Touch Insulin INNER 1/2 ML 27 GAUGE X 1/2" Syringe)	2	GC
INSULIN SYRINGE 0.3 ML 0.3 ML (insulin syringe-needle 29 GAUGE u-100)	2	GC
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin 31GX1/4 0.3 ML 31 GAUGE X 1/4" Syringe)	2	GC
INSULIN SYRINGE 0.5 ML 1/2 ML (insulin syringe-needle 29 u-100)	2	GC
INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin 31GX1/4 1/2 ML 31 GAUGE X 1/4" Syringe)	2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	GC
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes) 2	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe) 2	GC
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe) 2	GC
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe) 2	GC
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
LISCO SPONGES 100/BAG 2 X 2 "	1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100) 2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100) 2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"	2	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
MAXICOMFORT II PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	GC
MAXICOMFORT INS 0.5 ML (insulin syringe-needle 27GX1/2" 1/2 ML 27 GAUGE X u-100) 1/2"	2	GC
MAXI-COMFORT INS 0.5 ML 28G (insulin syringe-needle 1/2 ML 28 GAUGE X 1/2" u-100)	2	GC
MAXICOMFORT INS 1 ML (insulin syringe-needle 27GX1/2" 1 ML 27 GAUGE X 1/2" u-100)	2	GC
MAXI-COMFORT INS 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	GC
MICRODOT PEN NEEDLE (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	GC
MICRODOT PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
MICRODOT PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
MINI PEN NEEDLE 32G 4MM 32 (1st Tier Unifine GAUGE X 5/32" Pentips)	2	GC
MINI PEN NEEDLE 32G 5MM 32 (CareFine Pen Needle) GAUGE X 3/16"	2	GC
MINI PEN NEEDLE 32G 6MM 32 (BD Ultra-Fine Micro GAUGE X 1/4" Pen Needle)	2	GC
MINI PEN NEEDLE 32G 8MM 32 (Comfort EZ Pen GAUGE X 5/16" Needles)	2	GC
MINI PEN NEEDLE 33G 4MM 33 (Advocate Pen Needle) GAUGE X 5/32"	2	GC
MINI PEN NEEDLE 33G 5MM 33 (Comfort EZ Pen GAUGE X 3/16" Needles)	2	GC
MINI PEN NEEDLE 33G 6MM 33 (Comfort EZ Pen GAUGE X 1/4" Needles)	2	GC
MINI ULTRA-THIN II PEN NDL (pen needle, diabetic) 31G STERILE 31 GAUGE X 3/16"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) (insulin syringes (disposable))	2	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	2	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
NOVOFINE 30 NEEDLE	2	GC
NOVOFINE 32G NEEDLES 32 (pen needle, diabetic) GAUGE X 1/4"	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	2	GC
PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle) 30 GAUGE X 3/16"	2	GC
PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle) GAUGE X 5/16"	2	GC
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	GC
PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips NEEDLE 29 GAUGE X 1/2" Plus)	2	GC
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	GC
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	GC
PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X Pentips) 1/4"	2	GC
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	GC
PENTIPS PEN NEEDLE 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	2	GC
PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16"	2	GC
PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16"	2	GC
PENTIPS PEN NEEDLE 32G 6MM (pen needle, diabetic) 32 GAUGE X 1/4"	2	GC
PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
PENTIPS PEN NEEDLE 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4"	2	GC
PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16"	2	GC
PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	GC
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100)	2	GC
PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16 u-100)	2	GC
PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT PEN NDL 32G X (pen needle, diabetic) 1/4" 32 GAUGE X 1/4"	2	GC
PRO COMFORT PEN NDL 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
PRO COMFORT PEN NDL 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	GC
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	GC
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	GC
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)	2	GC
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	GC
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	GC
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Lite Touch Insulin Syringe)	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	GC
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	GC
SAFETY PEN NEEDLE 31G 4MM (Comfort EZ PRO Safety Pen Ndl) 31 GAUGE X 5/32"	2	GC
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, safety) 31G 31 GAUGE X 3/16"	2	GC
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	GC
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	GC
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	GC
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	GC
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	GC
SM STERILE PADS 2" X 2" 2"X2", (gauze bandage) STERILE 2 X 2 "	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
NEEDLES, INSULIN DISP., (insulin syringe-needle u-100) SAFETY	2	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X (insulin syringe-needle u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
SURE COMFORT 1 ML SYRINGE (insulin syringe-needle u-100) 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
SURE COMFORT 3/10 ML SYRINGE (insulin syringe-needle u-100) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE (insulin syringe-needle u-100) 0.3 ML 31 GAUGE X 5/16"	2	GC
SURE COMFORT 30G PEN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	GC
SURE COMFORT INS 0.3 ML (insulin syringe-needle u-100) 31GX1/4 0.3 ML 31 GAUGE X 1/4"	2	GC
SURE COMFORT INS 0.5 ML (insulin syringe-needle u-100) 31GX1/4 1/2 ML 31 GAUGE X 1/4"	2	GC
SURE COMFORT INS 1 ML (insulin syringe-needle u-100) 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	GC
SURE COMFORT PEN NDL (pen needle, diabetic) 29GX1/2" 12.7MM 29 GAUGE X 1/2"	2	GC
SURE COMFORT PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
SURE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
SURE COMFORT PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
SURE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	GC
SURE-FINE PEN NEEDLES (pen needle, diabetic) 12.7MM 29 GAUGE X 1/2"	2	GC
SURE-FINE PEN NEEDLES 5MM (pen needle, diabetic) 31 GAUGE X 3/16"	2	GC
SURE-FINE PEN NEEDLES 8MM (pen needle, diabetic) 31 GAUGE X 5/16"	2	GC
SURE-JECT INSU SYR U100 (insulin syringe-needle u-100) 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	GC

藥物名稱	藥物 等級	要求/限制
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2 GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		2 GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2 GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2 GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2 GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		2 GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2 GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2 GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2 GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2 GC
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物 等級	要求/限制
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100) ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	GC
TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	GC
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16"	2	GC
TOPCARE ULTRA COMFORT (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle 5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	GC
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle u-100) 1 ML 31 GAUGE X 5/16	2	GC
TRUE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX5MM 31 GAUGE X 3/16"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	GC
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 5MM 33 GAUGE X 3/16"	2	GC
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	GC
TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle u-100) 1/2" 1 ML 30 GAUGE X 1/2"	2	GC
TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle u-100) 5/16" 1 ML 30 GAUGE X 5/16	2	GC
TRUE COMFORT PRO 1 ML 31G (insulin syringe-needle u-100) 5/16" 1 ML 31 GAUGE X 5/16	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFORT PRO 0.5 ML 30G (insulin syringe-needle u-100) 1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
TRUEPLUS PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC
TRUEPLUS PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
TRUEPLUS PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
TRUEPLUS PEN NEEDLE 31G X (pen needle, diabetic) 1/4" 31 GAUGE X 1/4"	2	GC
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2 GC
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2 GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2 GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2 GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ULTIGUARD SAFEPAK 31G 8MM 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFEPAK 32G 6MM 32 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	GC
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULTILET PEN NEEDLE 29 GAUGE	2	GC
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	GC
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTRA FLO SYR 0.5 ML 29G 1/2" (insulin syringe-needle 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 1 ML 30G X (insulin syringe-needle 5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2 GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2 GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2 GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
UNIFINE PENTIPS 12MM 29G (pen needle, diabetic) 29GX12MM, STRL 29 GAUGE X 1/2"	2	GC
UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4"	2	GC
UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32"	2	GC
UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4"	2	GC
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2 GC
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		2 GC
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2 GC
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2 GC
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
VERIFINE SYRNG 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NDS
ELFABRIO INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
javygtor oral tablet,soluble 100 mg (sapropterin)	5	PA; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>alcaïne ophthalmic (eye) drops 0.5 %</i> (proparacaine)	2	GC
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	GC
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	2	ST; GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	GC
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	5	PA; NDS; QL (20 per 28 days)
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	2	GC
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	2	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	2	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	2	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NDS
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	GC; QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC; QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	GC
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%	2	GC
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1% (neomycin-bacitracin-poly-hc)	2	GC
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g (neomycin-bacitracin-polymyxin)	2	GC
ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)	2	GC
ofloxacin otic (ear) drops 0.3 %	2	GC
polycin ophthalmic (eye) ointment 500-10,000 unit/gram (bacitracin-polymyxin b)	2	GC
polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml	1	GC
sulfacetamide sodium ophthalmic (eye) drops 10 %	2	GC
sulfacetamide sodium ophthalmic (eye) ointment 10 %	2	GC
sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)	2	GC
tobramycin ophthalmic (eye) drops 0.3 %	2	GC
tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %	2	GC
trifluridine ophthalmic (eye) drops 1 %	2	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST; QL (10 per 25 days)
bromfenac ophthalmic (eye) drops 0.09 %	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>difluprednate ophthalmic (eye) drops</i> (Durezol) 0.05 %	2	GC
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear)</i> (DermOtic Oil) <i>drops 0.01 %</i>	2	GC
<i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>fluticasone propionate nasal</i> (24 Hour Allergy Relief) <i>spray,suspension 50 mcg/actuation</i>	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,gel 0.5 %</i>	2	GC; QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,suspension 0.5 %</i>	2	GC; QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol</i> (Nasonex 24hr Allergy) <i>50 mcg/actuation</i>	2	GC; QL (34 per 30 days)
<i>prednisolone acetate ophthalmic</i> (Pred Forte) <i>(eye) drops,suspension 1 %</i>	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) (cyclosporine) DROPPERETTE 0.05 %	2	GC; QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	GC
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	GC
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	GC
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> (Nexium)	2	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium)	2	GC; QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; GC; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Prevacid 24Hr)	1	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	1	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	GC
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	GC; QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	GC
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	GC
<i>dicyclomine oral capsule 10 mg</i>	2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	GC
<i>dicyclomine oral tablet 20 mg</i>	2	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>diphenoxylate-atropine oral tablet</i> (Lomotil) 2.5-0.025 mg	2	GC
<i>enulose oral solution</i> 10 gram/15 ml (lactulose)	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution</i> 10 gram/15 ml (lactulose)	2	GC
<i>glycopyrrolate oral tablet</i> 1 mg (Robinul)	2	GC
<i>glycopyrrolate oral tablet</i> 2 mg (Robinul Forte)	2	GC
<i>lactulose oral solution</i> 10 gram/15 ml (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule</i> 2 mg (Anti-Diarrheal (loperamide))	2	GC
<i>lubiprostone oral capsule</i> 24 mcg, 8 mcg (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet</i> 2.5 mg, 5 mg	2	GC
<i>metoclopramide hcl injection</i> <i>solution</i> 5 mg/ml	2	GC
<i>metoclopramide hcl injection syringe</i> <i>5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution</i> 5 <i>mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet</i> 10 (Reglan) <i>mg, 5 mg</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	PA; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	GC
<i>peg-electrolyte soln oral recon soln 420 gram</i>	2	GC
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	GC
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	GC
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	5	NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	GC
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	GC
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	GC
<i>flavoxate oral tablet 100 mg</i>	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
<i>tropium oral capsule,extended release 24hr 60 mg</i>	2	GC
<i>tropium oral tablet 20 mg</i>	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	GC
ENTADFI ORAL CAPSULE 5-5 MG	4	PA; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	2	PA; GC
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA; GC
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NDS
<i>deferoxamine injection recon soln 2 gram</i>	5	PA; NDS
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	5	PA; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	PA; GC
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA; GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; GC; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	GC; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	GC
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	GC; QL (18 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>estradiol valerate intramuscular oil</i> (Delestrogen) 10 mg/ml, 20 mg/ml, 40 mg/ml	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	GC; QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	GC
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	GC
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	GC
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	GC
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	GC
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	GC
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	GC
<i>methylprednisolone oral tablet 32 mg</i>	2	GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	GC
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC

藥物名稱	藥物 等級	要求/限制
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	2	GC
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin ac 4 mcg/ml ampul p/f,</i> (DDAVP) <i>outer, sdv</i>	5	NDS
<i>desmopressin injection solution 4</i> (DDAVP) <i>mcg/ml</i>	2	GC
<i>desmopressin nasal spray, non-</i> <i>aerosol 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin oral tablet 0.1 mg, 0.2</i> (DDAVP) <i>mg</i>	2	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
<i>lanreotide subcutaneous syringe 120</i> (Somatuline Depot) <i>mg/0.5 ml</i>	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	2	GC
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml	2	GC
<i>octreotide acetate injection solution</i> (Sandostatin) 500 mcg/ml	5	NDS
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	2	GC
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	PA; NDS
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	PA; NDS
Progestins		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	4	QL (1 per 84 days)
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	5	NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	GC
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	4	PA BvD
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD; GC
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD; GC
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD; GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD; GC
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) oral</i> (Zortress) <i>tablet</i> 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	GC
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD; GC
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47), 10 MG (4)- 20 MG (4)-30 MG(19)	5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	2	PA BvD; GC
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD; GC
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
Vaccines		
ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	
AREXVY ANTIGEN COMPONENT 120 MCG	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
JYNNEOS (PF)(STOCKPILE) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	GC
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2	GC
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	2	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	GC
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	GC
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	GC; QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	2	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	GC
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	GC
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	5	NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	GC
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	2	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	2	GC; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	GC
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	1	GC; QL (1 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln</i> 30 mg, 90 mg	2	GC
<i>pamidronate intravenous solution 30</i> <i>mg/10 ml (3 mg/ml), 60 mg/10 ml (6</i> <i>mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	GC
<i>paricalcitol oral capsule 1 mcg, 2</i> (Zemplar) <i>mcg</i>	2	GC
<i>paricalcitol oral capsule 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12</i> <i>pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet,delayed</i> (Atelvia) <i>release (dr/ec) 35 mg</i>	2	GC; QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon</i> <i>soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution</i> <i>4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water</i> (Reclast) <i>intravenous piggyback 5 mg/100 ml</i>	2	GC; QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	GC
<i>hydroxyzine pamoate oral capsule 25 mg</i> (Vistaril)	1	GC
<i>hydroxyzine pamoate oral capsule 50 mg</i>	1	GC
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	GC
MESNEX ORAL TABLET 400 MG	5	NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	GC
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	GC
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NDS; QL (24 per 14 days)
VOWST ORAL CAPSULE	5	PA; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	

Ophthalmic Agents

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (brimonidine) (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	2	GC
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	GC; QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	2	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	GC
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	2	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	GC
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	GC
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye)</i> (Zioptan (PF)) <i>dropperette 0.0015 %</i>	2	GC; QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye)</i> <i>drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel</i> <i>forming solution 0.25 %, 0.5 %</i>	2	GC
<i>travoprost ophthalmic (eye) drops</i> (Travatan Z) <i>0.004 %</i>	2	GC; QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe</i> <i>100 mg/ml (10 %)</i>	2	GC
<i>d5 % and 0.9 % sodium chloride</i> <i>intravenous parenteral solution</i>	2	GC
<i>d5 %-0.45 % sodium chloride</i> <i>intravenous parenteral solution</i>	2	GC
<i>electrolyte-148 intravenous</i> (Plasma-Lyte 148) <i>parenteral solution</i>	2	GC
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er</i> (potassium chloride) <i>particles/crystals 10 meq</i>	2	GC
<i>klor-con m15 oral tablet,er</i> (potassium chloride) <i>particles/crystals 15 meq</i>	2	GC
<i>klor-con m20 oral tablet,er</i> (potassium chloride) <i>particles/crystals 20 meq</i>	2	GC
<i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100</i> <i>ml</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	GC
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	GC
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	2	GC
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	GC
<i>potassium cl 10 meq/5 ml conc sdv,p/f,outer 2 meq/ml</i>	2	PA BvD; GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	4	
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	GC
<i>sodium chloride 0.9% solution viaflex, single use</i>	2	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)	2	GC; QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	2	PA BvD; GC; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	2	PA BvD; GC; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Breyna)	2	GC; QL (30.6 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i> (Flovent HFA)	2	GC; QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i> (Flovent HFA)	2	GC; QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i> (Flovent HFA)	2	GC; QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	2	GC; QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	2	GC; QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	GC
Bronchodilators		
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Proventil HFA)	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i> (theophylline)	2	GC
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	GC; QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution</i> (Acetadote) <i>200 mg/ml (20 %)</i>	2	GC
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	GC; QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	GC; QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>chlorzoxazone oral tablet 250 mg</i>	5	NDS; QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>chlorzoxazone oral tablet 750 mg</i> (Lorzone)	2	GC; QL (120 per 30 days)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	GC; QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NDS; QL (150 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; GC; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; GC; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetlioze)	5	PA; NDS; QL (30 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	GC; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; GC; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)
<i>epoprostenol intravenous recon soln 0.5 mg, 1.5 mg</i> (Veletri)	5	PA; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	6	EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; GC; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	2	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRA VI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRA VI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRA VI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	GC
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	GC
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	GC
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	GC
<i>cyanocobalamin (vitamin b-12) (Dodex) injection solution</i>	6	EX
<i>ergocalciferol (vitamin d2) oral (Drisdol) capsule 1,250 mcg (50,000 unit)</i>	6	EX
<i>folic acid oral tablet 1 mg</i>	6	EX
<i>folivane-ob capsule 85-1 mg</i>	2	GC
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	GC
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	GC
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron- folic acid)</i>	2	GC
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	GC
<i>mynatal oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	GC
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	GC
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	GC
<i>newgen tablet 32-1,000 mg-mcg</i>	2	GC
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	GC
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	GC
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i>	2	GC
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	GC
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 2	GC
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	GC
<i>pnv-omega softgel 28-1-300 mg</i>	2	GC
<i>pnv-vp-u oral capsule 106.5-1 mg</i>	2	GC
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	GC
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	GC
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	GC
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	GC
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	GC
<i>prenatabs fa tablet 29-1 mg</i>	2	GC
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	GC
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	GC
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	GC
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic) 2	GC
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 2	GC
<i>prenatal-u capsule 106.5-1 mg</i>	2	GC
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 2	GC
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	GC
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	GC

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物 等級	要求/限制
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	GC
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	GC
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	GC
<i>taron-c dha capsule 35-1-200 mg</i>	2	GC
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	GC
<i>triveen-duo dha combo pack 29-1-400 mg</i>	2	GC
<i>vinate care oral tablet, chewable 40 mg iron- 1 mg</i>	2	GC
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	GC
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	GC
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	GC
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	GC
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	GC
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	GC
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	GC
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	GC
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	GC
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	GC
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	GC
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	GC

指數

1		
1ST TIER UNIFINE PENTIPS		
.....	107	
1ST TIER UNIFINE PENTIPS		
PLUS	107, 108	
A		
<i>abacavir</i>	63	
<i>abacavir-lamivudine</i>	63	
ABELCET.....	47	
<i>abiraterone</i>	19	
ABOUTTIME PEN NEEDLE		
.....	108	
ABRAXANE.....	20	
ABRYSVO.....	168	
<i>acamprosate</i>	9	
<i>acarbose</i>	43	
<i>accutane</i>	101	
<i>acebutolol</i>	79	
<i>acetaminophen-codeine</i>	3	
<i>acetazolamide</i>	177	
<i>acetazolamide sodium</i>	177	
<i>acetic acid</i>	148	
<i>acetylcysteine</i>	183	
<i>acitretin</i>	101	
ACTEMRA	163	
ACTEMRA ACTPEN.....	163	
ACTHAR	160	
ACTHIB (PF).....	169	
ACTIMMUNE	175	
<i>acyclovir</i>	69, 101	
<i>acyclovir sodium</i>	69	
ADACEL(TDAP		
ADOLESN/ADULT)(PF) 169		
ADAKVEO	73	
<i>adapalene</i>	107	
<i>adefovir</i>	69	
ADEMPAS.....	186	
<i>adrucil</i>	20	
ADVAIR HFA.....	181	
ADVOCATE PEN NEEDLE		
.....	108, 109	
ADVOCATE SYRINGES... 108		
<i>afirmelle</i>	92	
AJOVY AUTOINJECTOR... 51		
AJOVY SYRINGE.....	51	
AKEEGA.....	20	
AKYNZEO		
(FOSNETUPITANT)	53	
AKYNZEO (NETUPITANT) 53		
<i>ala-cort</i>	104	
<i>ala-scalp</i>	104	
<i>albendazole</i>	55	
<i>albuterol sulfate</i>	182	
<i>alcaine</i>	147	
<i>alclometasone</i>	104	
ALCOHOL PADS.....	101	
ALCOHOL PREP PADS ... 102		
ALCOHOL PREP SWABS. 101		
ALCOHOL SWABS	101	
ALCOHOL WIPES	102	
ALDURAZYME	146	
ALECENSA	20	
<i>alendronate</i>	173, 174	
<i>alfuzosin</i>	156	
<i>aliskiren</i>	87	
<i>allopurinol</i>	50	
<i>alosetron</i>	173	
ALPHAGAN P.....	177	
<i>alprazolam</i>	10	
ALREX.....	150	
<i>altavera</i> (28)	92	
ALTRENO.....	107	
ALUNBRIG.....	20	
<i>alyacen 1/35</i> (28).....	92	
<i>alyacen 7/7/7</i> (28)	92	
<i>alyq</i>	186	
<i>amabelz</i>	158	
<i>amantadine hcl</i>	56	
<i>ambrisentan</i>	186	
<i>amethia</i>	92	
<i>amiloride</i>	83	
<i>amiloride-hydrochlorothiazide</i>		
.....	83	
<i>amiodarone</i>	78	
<i>amitriptyline</i>	40	
<i>amitriptyline-chlordiazepoxide</i>		
.....	40	
<i>amlodipine</i>	83	
<i>amlodipine-atorvastatin</i>	85	
<i>amlodipine-benazepril</i>	83	
<i>amlodipine-olmesartan</i>	83	
<i>amlodipine-valsartan</i>	83	
<i>amlodipine-valsartan-hcthiazid</i>		
.....	83	
<i>ammonium lactate</i>	101	
<i>amoxapine</i>	40	
<i>amoxicil-clarithromy-lansopraz</i>		
.....	152	
<i>amoxicillin</i>	16	
<i>amoxicillin-pot clavulanate</i> .. 16,		
17		
<i>amphotericin b</i>	47	
<i>amphotericin b liposome</i>	47	
<i>ampicillin</i>	17	
<i>ampicillin sodium</i>	17	
<i>ampicillin-sulbactam</i>	17	
<i>anagrelide</i>	73	
<i>anastrozole</i>	20	
ANORO ELLIPTA	182	
<i>apomorphine</i>	56	
APONVIE	53	

<i>apraclonidine</i>	147	AUSTEDO XR	88	BD SAFETYGLIDE INSULIN	
<i>aprepitant</i>	53	AUSTEDO XR TITRATION		SYRINGE	110
APRETUDE	63	KT(WK1-4)	88	BD SAFETYGLIDE SYRINGE	
<i>apri</i>	93	AUVELITY	40		110
APTIOM	34	<i>aviane</i>	93	BD ULTRA-FINE MICRO	
APTIVUS	63	AVONEX	88	PEN NEEDLE	111
AQINJECT PEN NEEDLE..	109	AVSOLA	164	BD ULTRA-FINE MINI PEN	
<i>aranelle (28)</i>	93	<i>ayuna</i>	93	NEEDLE	111
ARCALYST	163	AYVAKIT	20	BD ULTRA-FINE NANO PEN	
AREXVY (PF)	169	<i>azacitidine</i>	20	NEEDLE	111
AREXVY ANTIGEN		<i>azathioprine</i>	164	BD ULTRA-FINE ORIG PEN	
COMPONENT	169	<i>azathioprine sodium</i>	164	NEEDLE	111
<i>aripiprazole</i>	57, 58	<i>azelastine</i>	147	BD ULTRA-FINE SHORT	
ARISTADA	58	<i>azithromycin</i>	15	PEN NEEDLE	111
ARISTADA INITIO	58	AZOPT	177	BD VEO INSULIN SYR	
<i>armodafinil</i>	186	<i>aztreonam</i>	16	(HALF UNIT)	111
ARNUITY ELLIPTA	181	<i>azurette (28)</i>	93	BD VEO INSULIN SYRINGE	
<i>ascomp with codeine</i>	3	B		UF	111
<i>asenapine maleate</i>	58	<i>bacitracin</i>	12, 148	BELSOMRA	186
<i>ashlyna</i>	93	<i>bacitracin-polymyxin b</i>	148	<i>benazepril</i>	77
<i>aspirin-dipyridamole</i>	73	<i>baclofen</i>	185	<i>benazepril-hydrochlorothiazide</i>	
ASSURE ID DUO-SHIELD	109	<i>bal-care dha</i>	187		77
ASSURE ID INSULIN		<i>bal-care dha essential</i>	187	<i>bendamustine</i>	20
SAFETY	109	<i>balsalazide</i>	173	BENDAMUSTINE	20
ASSURE ID PEN NEEDLE	109	BALVERSA	20	BENDEKA	20
ASTAGRAF XL	163	<i>balziva (28)</i>	93	BENLYSTA	164
<i>atazanavir</i>	63	BCG VACCINE, LIVE (PF)	169	<i>benzonatate</i>	100
<i>atenolol</i>	79	BD ALCOHOL SWABS	101	<i>benztropine</i>	56
<i>atenolol-chlorthalidone</i>	79	BD AUTOSHIELD DUO PEN		<i>bepotastine besilate</i>	148
<i>atomoxetine</i>	88	NEEDLE	109	BESREMI	164
<i>atorvastatin</i>	85	BD ECLIPSE LUER-LOK..	109	<i>betaine</i>	175
<i>atovaquone</i>	55	BD INSULIN SYRINGE ...	110	<i>betamethasone acet,sod phos</i>	
<i>atovaquone-proguanil</i>	55	BD INSULIN SYRINGE			159
<i>atropine</i>	147	(HALF UNIT)	109	<i>betamethasone dipropionate</i>	104
ATROVENT HFA	182	BD INSULIN SYRINGE SLIP		<i>betamethasone valerate</i>	104
<i>aubra eq.</i>	93	TIP	110	<i>betamethasone, augmented</i> .	104,
<i>aurovela 1.5/30 (21)</i>	93	BD INSULIN SYRINGE U-500		105	
<i>aurovela 1/20 (21)</i>	93		109	BETASERON	88
<i>aurovela 24 fe</i>	93	BD INSULIN SYRINGE		<i>betaxolol</i>	79, 178
<i>aurovela fe 1.5/30 (28)</i>	93	ULTRA-FINE	109	<i>bethanechol chloride</i>	156
<i>aurovela fe 1-20 (28)</i>	93	BD NANO 2ND GEN PEN		<i>bexarotene</i>	20
AUSTEDO	88	NEEDLE	110	BEXSERO	169

BEYFORTUS.....	67	<i>butalbital-acetaminophen-caff.</i> 3	CAROSPIR.....	87
<i>bicalutamide</i>	20	<i>butalbital-aspirin-caffeine</i>	<i>carteolol</i>	178
BICILLIN L-A.....	17	<i>butorphanol</i>	<i>cartia xt</i>	81
BIKTARVY.....	63	C	<i>carvedilol</i>	79
<i>bimatoprost</i>	178	CABENUVA.....	<i>caspofungin</i>	48
<i>bisoprolol fumarate</i>	79	<i>cabergoline</i>	CAYSTON.....	16
<i>bisoprolol-hydrochlorothiazide</i>	79	CABLIVI.....	<i>caziant (28)</i>	93
<i>bleomycin</i>	20	CABOMETYX.....	<i>cefaclor</i>	13
<i>blisovi 24 fe</i>	93	<i>cabotegravir</i>	<i>cefadroxil</i>	14
<i>blisovi fe 1.5/30 (28)</i>	93	<i>caffeine citrate</i>	<i>cefazolin</i>	14
<i>blisovi fe 1/20 (28)</i>	93	<i>calcipotriene</i>	<i>cefazolin in dextrose (iso-os)</i> .	14
BOOSTRIX TDAP.....	169	<i>calcitonin (salmon)</i>	<i>cefdinir</i>	14
BORDERED GAUZE.....	111	<i>calcitriol</i>	<i>cefepime</i>	14
<i>bortezomib</i>	20, 21	<i>calcium acetate(phosphat bind)</i>	<i>cefixime</i>	14
BORTEZOMIB.....	21	<i>calcium chloride</i>	<i>cefotaxime</i>	14
BOSULIF.....	21	CALQUENCE	<i>cefoxitin</i>	14
BRAFTOVI.....	21	(ACALABRUTINIB MAL)	<i>cefpodoxime</i>	14
BREO ELLIPTA.....	181		<i>cefprozil</i>	14
<i>brey-na</i>	181	<i>camila</i>	<i>ceftazidime</i>	14
BREZTRI AEROSPHERE ..	182	<i>candesartan</i>	<i>ceftriaxone</i>	14
<i>briellyn</i>	93	<i>candesartan-hydrochlorothiazid</i>	<i>cefuroxime axetil</i>	14
BRILINTA.....	73		<i>cefuroxime sodium</i>	15
<i>brimonidine</i>	178	CAPLYTA.....	<i>celecoxib</i>	6
<i>brimonidine-timolol</i>	178	CAPRELSA.....	<i>cephalexin</i>	15
BRIVIACT.....	34	<i>captopril</i>	CERDELGA.....	146
<i>bromfenac</i>	150	<i>captopril-hydrochlorothiazide</i> 77	CEREZYME.....	146
<i>bromocriptine</i>	56	<i>carbamazepine</i>	<i>cevimeline</i>	100
BROMSITE.....	150	34, 35	<i>chateal eq (28)</i>	93
BRONCHITOL.....	184	<i>carbidopa</i>	<i>chloramphenicol sod succinate</i>	12
BRUKINSA.....	21	56	<i>chlordiazepoxide hcl</i>	10
<i>budesonide</i>	173, 181	<i>carbidopa-levodopa</i>	<i>chlorhexidine gluconate</i>	100
<i>budesonide-formoterol</i>	181	<i>carbidopa-levodopa-entacapone</i>	<i>chloroquine phosphate</i>	55
<i>bumetanide</i>	83, 84	56	<i>chlorothiazide sodium</i>	84
<i>buprenorphine</i>	3	<i>carbinoxamine maleate</i>	<i>chlorthalidone</i>	84
<i>buprenorphine hcl</i>	3, 9	21	<i>chlorzoxazone</i>	185
<i>buprenorphine-naloxone</i>	9	CAREFINE PEN NEEDLE. 111	<i>cholestyramine (with sugar)</i> ..	85
<i>bupropion hcl</i>	40	CARETOUCH ALCOHOL	<i>cholestyramine light</i>	85
<i>bupropion hcl (smoking deter)</i> .9		PREP PAD.....	<i>ciclopirox</i>	48
<i>buspirone</i>	175	102	<i>cidofovir</i>	69
<i>butalbital-acetaminop-caf-cod</i> .3		CARETOUCH INSULIN	<i>cilostazol</i>	74
<i>butalbital-acetaminophen</i>	3	SYRINGE.....		
		112		
		CARETOUCH PEN NEEDLE		
				
		111, 112		
		<i>carglumic acid</i>		
		153		

CIMDUO.....	64	CLINIMIX E 4.25%/D5W		<i>compro</i>	53
<i>cimetidine</i>	152	SULF FREE.....	74	<i>constulose</i>	153
<i>cimetidine hcl</i>	152	CLINIMIX E 5%/D15W		COPIKTRA.....	21
<i>cinacalcet</i>	174	SULFIT FREE	75	CORLANOR.....	82
CINQAIR	184	CLINIMIX E 5%/D20W		CORTROPHIN GEL	160
CINRYZE.....	71	SULFIT FREE.....	75	COSENTYX	164
<i>ciprofloxacin</i>	18	CLINIMIX E 8%-D10W		COSENTYX (2 SYRINGES)	
<i>ciprofloxacin hcl</i>	18, 148	SULFITEFREE	75		164
<i>ciprofloxacin in 5 % dextrose</i>	18	CLINIMIX E 8%-D14W		COSENTYX PEN (2 PENS)	164
<i>ciprofloxacin-dexamethasone</i>		SULFITEFREE	75	COSENTYX UNOREADY	
.....	148	<i>clobazam</i>	35	PEN	164
<i>citalopram</i>	40	<i>clobetasol</i>	105	COTELLIC	21
<i>cladribine</i>	21	<i>clobetasol-emollient</i>	105	CREON.....	146
<i>clarithromycin</i>	15	<i>clomipramine</i>	40	<i>cromolyn</i>	148, 153, 184
<i>clemastine</i>	50	<i>clonazepam</i>	10, 11	<i>cryselle (28)</i>	94
CLENPIQ.....	155	<i>clonidine</i>	75	CURAD GAUZE PAD.....	115
CLICKFINE PEN NEEDLE	112	<i>clonidine hcl</i>	75, 88	CURITY ALCOHOL SWABS	
<i>clindamycin hcl</i>	12	<i>clopidogrel</i>	74		102
<i>clindamycin in 5 % dextrose</i> ..	12	<i>clorazepate dipotassium</i>	11	CURITY GAUZE	115
<i>clindamycin pediatric</i>	12	<i>clotrimazole</i>	48	<i>cyanocobalamin (vitamin b-12)</i>	
<i>clindamycin phosphate</i>	12, 51,	<i>clotrimazole-betamethasone</i> ..	48		187
103		<i>clozapine</i>	58	<i>cyclobenzaprine</i>	185
<i>clindamycin-benzoyl peroxide</i>		<i>c-nate dha</i>	187	<i>cyclopentolate</i>	148
.....	103	COARTEM.....	55	<i>cyclophosphamide</i>	21, 22
CLINIMIX 5%/D15W		<i>codeine sulfate</i>	3	<i>cyclosporine</i>	164
SULFITE FREE	74	<i>codeine-butalbital-asa-caff</i>	3	<i>cyclosporine modified</i>	164
CLINIMIX 4.25%/D10W SULF		<i>colchicine</i>	50	<i>cyproheptadine</i>	50
FREE	74	<i>colesevelam</i>	85	CYRAMZA.....	22
CLINIMIX 4.25%/D5W		<i>colestipol</i>	85	<i>cyred eq</i>	94
SULFIT FREE.....	74	<i>colistin (colistimethate na)</i>	13	CYSTADROPS.....	148
CLINIMIX 5%-		COMBIVENT RESPIMAT.	182	CYSTARAN	148
D20W(SULFITE-FREE) ...	74	COMETRIQ	21	D	
CLINIMIX 6%-D5W		COMFORT EZ INSULIN		<i>d5 % and 0.9 % sodium chloride</i>	
(SULFITE-FREE)	74	SYRINGE.....	112, 113, 114		179
CLINIMIX 8%-		COMFORT EZ PEN NEEDLES		<i>d5 %-0.45 % sodium chloride</i>	
D10W(SULFITE-FREE) ...	74		113		179
CLINIMIX 8%-		COMFORT EZ PRO SAFETY		<i>dabigatran etexilate</i>	70
D14W(SULFITE-FREE) ...	74	PEN NDL	113	<i>dalfampridine</i>	88
CLINIMIX E 2.75%/D5W		COMFORT TOUCH PEN		<i>danazol</i>	157
SULF FREE	74	NEEDLE.....	114, 115	<i>dantrolene</i>	185
CLINIMIX E 4.25%/D10W		COMPLERA	64	DANYELZA.....	22
SUL FREE.....	74	<i>completenate</i>	187	<i>dapsone</i>	52

DAPTACEL (DTAP PEDIATRIC) (PF).....	169	dextroamphetamine- amphetamine.....	89	dorzolamide-timolol.....	178
daptomycin	13	dextrose 10 % in water (d10w)	75	dotti	158
darunavir ethanolate	64	dextrose 5 % in water (d5w) ..	75	DOVATO.....	64
DARZALEX	22	DIACOMIT	35	doxazosin.....	76
DARZALEX FASPRO	22	diazepam.....	11, 35	doxepin.....	41
dasetta 1/35 (28).....	94	diazepam intensol	11	doxercalciferol	174
dasetta 7/7/7 (28)	94	diazoxide.....	175	doxorubicin	22
DAURISMO.....	22	diclofenac potassium	6	doxorubicin, peg-liposomal ...	22
daysee	94	diclofenac sodium.....	6, 7, 150	doxy-100.....	18
deblitane	94	diclofenac-misoprostol	7	doxycycline hyclate	19
decitabine	22	dicloxacillin	17	doxycycline monohydrate.....	19
deferasirox.....	157	dicyclomine.....	153	DRIZALMA SPRINKLE	41
deferiprone	157	didanosine.....	64	dronabinol.....	54
deferoxamine	157	DIFICID.....	15	droperidol	54
DELSTRIGO.....	64	diflorasone	105	DROPLET INSULIN SYR(HALF UNIT).....	115
demeclocycline	18	diflunisal	7	DROPLET INSULIN SYRINGE	115, 116
DENGVAIXA (PF).....	169	difluprednate.....	151	DROPLET MICRON PEN NEEDLE	116
denta 5000 plus	100	digitek	82	DROPLET PEN NEEDLE .	116,
dentagel	100	digox	82	117	
DEPO-SUBQ PROVERA 104	162	digoxin	82	DROPSAFE ALCOHOL PREP PADS	102
DERMACEA	115	dihydroergotamine.....	51	DROPSAFE INSULIN SYRINGE	117
DERMACEA NON-WOVEN	115	DILANTIN	35	DROPSAFE PEN NEEDLE	117
DESCOVY	64	diltiazem hcl.....	81	drospirenone-ethinyl estradiol	94
desipramine	40, 41	dilt-xr	81	DROXIA	73
desmopressin	161	dimenhydrinate	53	droxidopa	76
desog-e.estradiol/e.estradiol ..	94	dimethyl fumarate	89	DUAVEE	158
desogestrel-ethinyl estradiol ..	94	DIPENTUM.....	173	duloxetine	41
desonide.....	105	diphenhydramine hcl	50	DUPIXENT PEN	164
desoximetasone.....	105	diphenoxylate-atropine.....	153	DUPIXENT SYRINGE	164
desvenlafaxine succinate	41	dipyridamole	74	dutasteride.....	156
dexamethasone	159	disopyramide phosphate	78	dutasteride-tamsulosin	156
dexamethasone sodium phos (pf)	159	disulfiram	10	E	
dexamethasone sodium phosphate	150, 159	divalproex	35	EASY COMFORT ALCOHOL PAD.....	102
dexmethylphenidate.....	88	docetaxel.....	22	EASY COMFORT INSULIN SYRINGE	117, 118
dextrazoxane hcl.....	175	dofetilide	78		
dextroamphetamine sulfate ...	88,	donepezil.....	39		
89		DOPTELET (10 TAB PACK)71			
		DOPTELET (15 TAB PACK)71			
		DOPTELET (30 TAB PACK)71			
		dorzolamide	178		

EASY COMFORT PEN NEEDLES	118	ELIGARD (4 MONTH)	22	EPCLUSA.....	68
EASY GLIDE INSULIN SYRINGE.....	118	ELIGARD (6 MONTH)	22	EPIDIOLEX.....	35
EASY GLIDE PEN NEEDLE	119	<i>elinest</i>	94	<i>epinastine</i>	148
EASY TOUCH.....	120	ELIQUIS.....	70	<i>epinephrine</i>	82
EASY TOUCH ALCOHOL PREP PADS	102	ELIQUIS DVT-PE TREAT 30D START.....	70	<i>epitol</i>	35
EASY TOUCH FLIPLOCK INSULIN.....	120	ELITEK	146	EPIVIR HBV	64
EASY TOUCH FLIPLOCK SYRINGE.....	119	<i>elixophyllin</i>	182	EPKINLY	23
EASY TOUCH INSULIN SAFETY SYR.....	119	ELLA.....	94	<i>eplerenone</i>	87
EASY TOUCH INSULIN SYRINGE.....	119, 120, 121	ELMIRON	175	<i>epoprostenol</i>	186
EASY TOUCH LUER LOCK INSULIN.....	120	ELREXFIO.....	22	EPRONTIA.....	35
EASY TOUCH PEN NEEDLE	120	<i>eluryng</i>	94	<i>eprosartan</i>	76
EASY TOUCH SAFETY PEN NEEDLE	120, 121	EMBRACE PEN NEEDLE.	121	ERBITUX	23
EASY TOUCH SHEATHLOCK INSULIN	119, 120	EMCYT	22	<i>ergocalciferol (vitamin d2)</i> ..	187
EASY TOUCH UNI-SLIP ...	121	EMEND	54	<i>ergoloid</i>	39
<i>ec-naproxen</i>	7	EMGALITY PEN.....	51	ERIVEDGE.....	23
<i>econazole</i>	48	EMGALITY SYRINGE	51	ERLEADA	23
EDARBI.....	76	EMSAM.....	41	<i>erlotinib</i>	23
EDARBYCLOR.....	76	<i>emtricitabine</i>	64	<i>errin</i>	94
EDURANT	64	<i>emtricitabine-tenofovir (tdf)</i> ..	64	<i>ertapenem</i>	16
<i>efavirenz</i>	64	EMTRIVA	64	<i>ery pads</i>	103
<i>efavirenz-emtricitabin-tenofov</i>	64	<i>enalapril maleate</i>	77	<i>erythromycin</i>	16, 148
<i>efavirenz-lamivu-tenofov disop</i>	64	<i>enalaprilat</i>	77	<i>erythromycin ethylsuccinate</i> .	15,
EGRIFTA SV	161	<i>enalapril-hydrochlorothiazide</i>	78	16	
ELAPRASE.....	146	ENBREL.....	165	<i>erythromycin with ethanol</i> ...	103
<i>electrolyte-148</i>	179	ENBREL MINI	165	<i>erythromycin-benzoyl peroxide</i>	103
ELFABRIO	146	ENBREL SURECLICK	165	<i>escitalopram oxalate</i>	41
ELIGARD	22	ENDARI	175	<i>esomeprazole magnesium</i>	152
ELIGARD (3 MONTH)	22	<i>endocet</i>	4	<i>esomeprazole sodium</i>	152
		ENERGIX-B (PF).....	169	<i>estarylla</i>	94
		ENERGIX-B PEDIATRIC (PF)	170	<i>estazolam</i>	11
		<i>enilloring</i>	94	<i>estradiol</i>	158
		<i>enoxaparin</i>	70	<i>estradiol valerate</i>	158
		<i>enpresse</i>	94	<i>estradiol-norethindrone acet</i>	158
		<i>enskyce</i>	94	<i>eszopiclone</i>	186
		ENSPRYNG	89	<i>ethambutol</i>	53
		<i>entacapone</i>	56	<i>ethosuximide</i>	35
		ENTADFI	156	<i>ethynodiol diac-eth estradiol</i> .	94
		<i>entecavir</i>	69	<i>etodolac</i>	7
		ENTRESTO	76	<i>etonogestrel-ethinyl estradiol</i>	95
		<i>enulose</i>	153	ETOPOPHOS	23
				<i>etoposide</i>	23

<i>etravirine</i>	64	FETZIMA.....	41	<i>fondaparinux</i>	70
EUCRISA.....	105	FIASP FLEXTOUCH U-100		FORTEO.....	174
<i>everolimus (antineoplastic)</i>	23	INSULIN.....	45	<i>fosamprenavir</i>	64
<i>everolimus</i>		FIASP PENFILL U-100		<i>fosaprepitant</i>	54
(<i>immunosuppressive</i>).....	165	INSULIN.....	45	<i>foscarnet</i>	67
EVOTAZ.....	64	FIASP U-100 INSULIN.....	45	<i>fosinopril</i>	78
EVRYSDI.....	175	<i>finasteride</i>	156	<i>fosinopril-hydrochlorothiazide</i>	
EXEL INSULIN.....	121	<i>fingolimod</i>	89		78
<i>exemestane</i>	23	FINTEPLA.....	36	<i>fosphephenytoin</i>	36
EXKIVITY.....	23	FIRMAGON KIT W DILUENT		FOTIVDA.....	24
EXONDYS-51.....	176	SYRINGE.....	23	FREESTYLE PRECISION..	122
EYSUVIS.....	151	<i>flavoxate</i>	156	FULPHILA.....	71
EZALLOR SPRINKLE.....	85	FLEBOGAMMA DIF.....	165	<i>fulvestrant</i>	24
<i>ezetimibe</i>	85	<i>flecainide</i>	78	<i>furosemide</i>	84
<i>ezetimibe-simvastatin</i>	85	<i>floxuridine</i>	23	FUZEON.....	64
F		<i>fluconazole</i>	48	FYARRO.....	24
FABRAZYME.....	146	<i>fluconazole in nacl (iso-osm)</i> ..	48	<i>fyavolv</i>	158
<i>falmina (28)</i>	95	<i>flucytosine</i>	48	FYCOMPA.....	36
<i>famciclovir</i>	69	<i>fludrocortisone</i>	160	FYLNETRA.....	71
<i>famotidine</i>	152	<i>flumazenil</i>	89	G	
<i>famotidine (pf)</i>	152	<i>flunisolide</i>	151	<i>gabapentin</i>	36
<i>famotidine (pf)-nacl (iso-os)</i>	152	<i>fluocinolone</i>	105	GALAFOLD.....	146
FANAPT.....	59	<i>fluocinolone acetonide oil</i> ...	151	<i>galantamine</i>	39
FARXIGA.....	43	<i>fluocinonide</i>	105	GAMIFANT.....	165
FARYDAK.....	23	<i>fluocinonide-emollient</i>	105	GAMMAGARD LIQUID...	165
FASENRA.....	184	<i>fluoride (sodium)</i>	101	GAMMAGARD S-D (IGA < 1	
FASENRA PEN.....	184	<i>fluorometholone</i>	151	MCG/ML).....	165
<i>febuxostat</i>	50	<i>fluorouracil</i>	24, 102	GAMMAPLEX.....	165
<i>felbamate</i>	35	<i>fluoxetine</i>	41	GAMMAPLEX (WITH	
<i>felodipine</i>	83	<i>fluphenazine decanoate</i>	59	SORBITOL).....	165
FEMRING.....	158	<i>fluphenazine hcl</i>	59	GAMUNEX-C.....	165
<i>fenofibrate</i>	85	<i>flurbiprofen</i>	7	<i>ganciclovir sodium</i>	69
<i>fenofibrate micronized</i>	85	<i>flurbiprofen sodium</i>	151	GARDASIL 9 (PF).....	170
<i>fenofibrate nanocrystallized</i> ...	85	<i>fluticasone propionate</i> 105, 106,		<i>gatifloxacin</i>	149
<i>fenofibric acid (choline)</i>	86	151, 181		GATTEX 30-VIAL.....	153
<i>fenoprofen</i>	7	<i>fluticasone propion-salmeterol</i>		GAUZE PAD.....	122
<i>fentanyl</i>	4		181	<i>gavilyte-c</i>	155
<i>fentanyl citrate</i>	4	<i>fluvastatin</i>	86	<i>gavilyte-g</i>	155
FERRIPROX.....	157	<i>fluvoxamine</i>	41	GAVRETO.....	24
FERRIPROX (2 TIMES A		<i>folic acid</i>	188	<i>gefitinib</i>	24
DAY).....	157	<i>folivane-ob</i>	188	<i>gemcitabine</i>	24
<i>fesoterodine</i>	156	<i>fomepizole</i>	176	<i>gemfibrozil</i>	86

generlac153
gengraf165
gentak149
gentamicin12, 103, 149
gentamicin sulfate (ped) (pf) ..12
gentamicin sulfate (pf).....12
GENVOYA65
GILENYA89
GILOTRIF.....24
GIVLAARI.....73
glatiramer89
glatopa.....89, 90
GLEOSTINE.....24
glimepiride47
glipizide47
glipizide-metformin47
glyburide.....47
glyburide micronized.....47
glyburide-metformin.....47
glycopyrrolate153
glydo8
GLYXAMBI43
granisetron (pf)54
granisetron hcl54
GRANIX71
griseofulvin microsize48
griseofulvin ultramicrosize....48
guanfacine76, 90
GVOKE176
GVOKE HYPOPEN 2-PACK
.....176
GVOKE PFS 1-PACK
SYRINGE.....176
H
HAEGARDA71, 72
hailey95
hailey 24 fe95
hailey fe 1.5/30 (28)95
hailey fe 1/20 (28)95
halobetasol propionate.....106
haloette95
haloperidol59

haloperidol decanoate 59
haloperidol lactate..... 59
HARVONI..... 68, 69
HAVRIX (PF) 170
HEALTHWISE INSULIN
SYRINGE..... 122, 123
HEALTHWISE PEN NEEDLE
..... 123
HEALTHY ACCENTS
UNIFINE PENTIP..... 123
heather 95
HEMADY 160
heparin (porcine) 70
heparin, porcine (pf)..... 70, 71
HEPLISAV-B (PF)..... 170
HERCEPTIN HYLECTA..... 24
HERZUMA 24
HETLIOZ LQ 186
HIBERIX (PF)..... 170
HUMIRA 166
HUMIRA PEN 166
HUMIRA PEN CROHNS-UC-
HS START 165
HUMIRA PEN PSOR-
UVEITS-ADOL HS 166
HUMIRA(CF) 166
HUMIRA(CF) PEDI CROHNS
STARTER 166
HUMIRA(CF) PEN..... 166
HUMIRA(CF) PEN CROHNS-
UC-HS 166
HUMIRA(CF) PEN
PEDIATRIC UC..... 166
HUMIRA(CF) PEN PSOR-UV-
ADOL HS 166
HUMULIN R U-500 (CONC)
INSULIN 45
HUMULIN R U-500 (CONC)
KWIKPEN..... 46
hydralazine 82
hydrochlorothiazide..... 84
hydrocodone-acetaminophen... 4

hydrocodone-ibuprofen4
hydrocortisone 106, 160, 173
hydrocortisone butyrate 106
hydrocortisone valerate 106
hydrocortisone-acetic acid... 149
hydrocortisone-min oil-wht pet
..... 106
hydromorphone4
hydromorphone (pf)4
hydroxychloroquine55
hydroxyprogesterone caproate
..... 162
hydroxyurea24
hydroxyzine hcl 50, 51
hydroxyzine pamoate 176
HYQVIA..... 166
I
ibandronate 174
IBRANCE24
ibu7
ibuprofen7
ibuprofen-famotidine..... 7
icatibant82
iclevia95
ICLUSIG.....24
IDHIFA24
ifosfamide24
ILARIS (PF)..... 166
ILEVRO 151
ILUMYA..... 166
imatinib25
IMBRUVICA..... 25
imipenem-cilastatin..... 16
imipramine hcl41
imipramine pamoate42
imiquimod 102
IMJUDO 25
IMLYGIC 25
IMOVAX RABIES VACCINE
(PF) 170
IMPAVIDO..... 55
INBRIJA 57

<i>incassia</i>	95	<i>ipratropium bromide</i> ...	148, 182	JUXTAPID	86
INCONTROL ALCOHOL		<i>ipratropium-albuterol</i>	183	JYNARQUE	84
PADS.....	102	<i>irbesartan</i>	76	JYNNEOS (PF)(STOCKPILE)	
INCONTROL PEN NEEDLE		<i>irbesartan-hydrochlorothiazide</i>			170
.....	123		76	K	
INCRELEX	161	<i>irinotecan</i>	25	<i>kalliga</i>	96
<i>indapamide</i>	84	ISENTRESS	65	KALYDECO.....	184
<i>indomethacin</i>	7, 8	ISENTRESS HD.....	65	KANJINTI	25
INFANRIX (DTAP) (PF).....	170	<i>isibloom</i>	95	KANUMA.....	146
INFLECTRA.....	166	ISOLYTE S PH 7.4	179	<i>kariva</i> (28).....	96
<i>infliximab</i>	166	ISOLYTE-P IN 5 %		KATERZIA.....	83
INGREZZA	90	DEXTROSE	179	<i>kelnor 1/35</i> (28).....	96
INGREZZA INITIATION		ISOLYTE-S.....	179	<i>kelnor 1-50</i> (28)	96
PACK	90	<i>isoniazid</i>	53	KERENDIA	87
INLYTA	25	<i>isosorbide dinitrate</i>	87	KESIMPTA PEN	90
INPEN (FOR HUMALOG)		<i>isosorbide mononitrate</i>	87	<i>ketoconazole</i>	49
BLUE	123	<i>isosorbide-hydralazine</i>	87	<i>ketoprofen</i>	8
INPEN (NOVOLOG OR		<i>isradipine</i>	83	<i>ketorolac</i>	8, 151
FIASP) BLUE	123	<i>itraconazole</i>	49	KEVZARA	167
INQOVI.....	25	IV PREP WIPES	102	KEYTRUDA.....	26
INREBIC	25	<i>ivermectin</i>	55	KIMMTRAK	26
<i>insulin asp prt-insulin aspart</i> ..	46	IXIARO (PF)	170	KINERET	167
<i>insulin aspart u-100</i>	46	J		KINRIX (PF)	170
INSULIN SYR/NDL U100		<i>jaimiess</i>	95	KISQALI.....	26
HALF MARK	124	JAKAFI	25	KISQALI FEMARA CO-PACK	
INSULIN SYRINGE.....	110	<i>jantoven</i>	71		26
INSULIN SYRINGE		JARDIANCE	43	KLISYRI.....	102
MICROFINE.....	110	<i>jasmiel</i> (28)	95	<i>klor-con m10</i>	179
INSULIN SYRINGE		<i>javygtor</i>	146	<i>klor-con m15</i>	179
NEEDLELESS	110	JAYPIRCA	25	<i>klor-con m20</i>	179
INSULIN SYRINGE-NEEDLE		JEMPERLI.....	25	KLOXXADO	10
U-100.....	110, 111, 121, 122,	<i>jencycla</i>	95	KORLYM	43
123, 124, 125, 132, 136		JENTADUETO	43	KOSELUGO	26
INSUPEN PEN NEEDLE....	125	JENTADUETO XR.....	43	<i>kosher prenatal plus iron</i>	188
INTELENCE	65	<i>jinteli</i>	159	KRAZATI	26
INTRALIPID	75	<i>juleber</i>	95	KRINTAFEL	55
INVEGA HAFYERA.....	59	JULUCA.....	65	KRYSTEXXA	146
INVEGA SUSTENNA.....	59, 60	<i>junel 1.5/30</i> (21)	95	<i>kurvelo</i> (28).....	96
INVEGA TRINZA.....	60	<i>junel 1/20</i> (21)	95	KYNMOBI	57
INVELTYS	151	<i>junel fe 1.5/30</i> (28).....	95	L	
INVIRASE	65	<i>junel fe 1/20</i> (28).....	95	<i>l norgest/e.estradiol-e.estrad</i> ..	96
IPOL	170	<i>junel fe 24</i>	95	<i>labetalol</i>	79, 80

<i>lacosamide</i>	36	<i>lidocaine hcl</i>	9	LUPRON DEPOT (4 MONTH)	27
<i>lactulose</i>	154	<i>lidocaine viscous</i>	9	LUPRON DEPOT (6 MONTH)	27
<i>lagevrio (eua)</i>	69	<i>lidocaine-prilocaine</i>	9	LUPRON DEPOT-PED.....	161
<i>lamivudine</i>	65	<i>linezolid</i>	13	LUPRON DEPOT-PED (3	161
<i>lamivudine-zidovudine</i>	65	<i>linezolid in dextrose 5%</i>	13	MONTH).....	161
<i>lamotrigine</i>	36, 37	LINZESS	154	<i>lurasidone</i>	60
<i>lanreotide</i>	161	<i>liothyronine</i>	163	<i>lutea (28)</i>	97
<i>lansoprazole</i>	152, 153	LISCO.....	125	LYBALVI.....	60
<i>lanthanum</i>	155	<i>lisinopril</i>	78	<i>lyleq</i>	97
<i>lapatinib</i>	26	<i>lisinopril-hydrochlorothiazide</i>	78	<i>lyllana</i>	159
<i>larin 1.5/30 (21)</i>	96	LITE TOUCH INSULIN PEN		LYNPARZA	27
<i>larin 1/20 (21)</i>	96	NEEDLES	125	LYSODREN	27
<i>larin 24 fe</i>	96	LITE TOUCH INSULIN		LYTGOBI.....	27
<i>larin fe 1.5/30 (28)</i>	96	SYRINGE.....	125, 126	<i>lyza</i>	97
<i>larin fe 1/20 (28)</i>	96	<i>lithium carbonate</i>	90	M	
<i>latanoprost</i>	178	<i>lithium citrate</i>	90	MAGELLAN INSULIN	
<i>leflunomide</i>	167	LIVALO	86	SAFETY SYRNG.....	126
<i>lenalidomide</i>	26	<i>lojaimiess</i>	97	MAGELLAN SYRINGE.....	126
LENVIMA	26	LOKELMA.....	154	<i>magnesium sulfate</i>	179
<i>lessina</i>	96	LONSURF	27	<i>magnesium sulfate in d5w</i>	179
<i>letrozole</i>	26	<i>loperamide</i>	154	<i>magnesium sulfate in water</i> .	179
<i>leucovorin calcium</i>	176	<i>lopinavir-ritonavir</i>	65	<i>malathion</i>	107
LEUKERAN	26	<i>lorazepam</i>	11	<i>maraviroc</i>	65
LEUKINE.....	72	<i>lorazepam intensol</i>	11	MARGENZA	27
<i>leuprolide</i>	27	LORBRENA.....	27	<i>marlissa (28)</i>	97
<i>leuprolide (3 month)</i>	26	<i>loryna (28)</i>	97	<i>marnatal-f</i>	188
<i>levetiracetam</i>	37	<i>losartan</i>	76	MARPLAN.....	42
<i>levobunolol</i>	178	<i>losartan-hydrochlorothiazide</i>	76	MATULANE	27
<i>levocarnitine</i>	176	LOTEMAX.....	151	<i>matzim la</i>	81
<i>levocarnitine (with sugar)</i>	176	LOTEMAX SM.....	151	MAVENCLAD (10 TABLET	
<i>levocetirizine</i>	51	<i>loteprednol etabonate</i>	151	PACK).....	90
<i>levofloxacin</i>	18, 148, 149	<i>lovastatin</i>	86	MAVENCLAD (4 TABLET	
<i>levofloxacin in d5w</i>	18	<i>low-ogestrel (28)</i>	97	PACK).....	90
<i>levoleucovorin calcium</i>	176	<i>loxapine succinate</i>	60	MAVENCLAD (5 TABLET	
<i>levonest (28)</i>	96	<i>lo-zumandimine (28)</i>	97	PACK).....	90
<i>levonorgestrel-ethinyl estrad</i> ..	96	<i>lubiprostone</i>	154	MAVENCLAD (6 TABLET	
<i>levonorg-eth estrad triphasic</i> ..	96	LUMAKRAS.....	27	PACK).....	90
<i>levora-28</i>	96	LUMIGAN	178	MAVENCLAD (7 TABLET	
<i>levothyroxine</i>	163	LUNSUMIO	27	PACK).....	90
LEXIVA	65	LUPRON DEPOT	161	MAVENCLAD (7 TABLET	
<i>lidocaine</i>	9	LUPRON DEPOT (3 MONTH)		PACK).....	90
<i>lidocaine (pf)</i>	9, 78		27, 161		

MAVENCLAD (8 TABLET PACK).....	90	<i>methadone</i>	4	MITIGARE	50
MAVENCLAD (9 TABLET PACK).....	90	<i>methadose</i>	5	<i>mitoxantrone</i>	28
MAVYRET	69	<i>methazolamide</i>	178	M-M-R II (PF)	171
MAXICOMFORT II PEN NEEDLE	126	<i>methenamine hippurate</i>	13	<i>m-natal plus</i>	188
MAXICOMFORT INSULIN SYRINGE.....	126, 127	<i>methimazole</i>	163	<i>modafinil</i>	186
MAXI-COMFORT INSULIN SYRINGE.....	126	<i>methocarbamol</i>	185	<i>moexipril</i>	78
MAXI-COMFORT INSULIN SYRINGE.....	127	<i>methotrexate sodium</i>	28	<i>molindone</i>	60
MAXICOMFORT SAFETY PEN NEEDLE.....	127	<i>methotrexate sodium (pf)</i>	28	<i>mometasone</i>	106, 151
MAYZENT	90	<i>methoxsalen</i>	102	<i>mondoxyne nl</i>	19
MAYZENT STARTER(FOR 1MG MAINT).....	91	<i>methscopolamine</i>	154	MONOJECT INSULIN SAFETY SYRINGE.....	128
MAYZENT STARTER(FOR 2MG MAINT).....	91	<i>methsuximide</i>	37	MONOJECT INSULIN SYRINGE	127, 128
<i>meclizine</i>	54	<i>methyldopa</i>	76	MONOJECT SYRINGE.....	127
<i>medroxyprogesterone</i>	163	<i>methylphenidate hcl</i>	91	MONOJECT ULTRA COMFORT INSULIN	141
<i>mefenamic acid</i>	8	<i>methylprednisolone</i>	160	<i>mono-lynyah</i>	97
<i>mefloquine</i>	55	<i>methylprednisolone acetate</i> .	160	<i>montelukast</i>	182
<i>megestrol</i>	27, 163	<i>methylprednisolone sodium succ</i>	160	<i>morphine</i>	5
MEKINIST.....	27, 28	<i>metoclopramide hcl</i>	154	MORPHINE.....	5
MEKTOVI	28	<i>metolazone</i>	84	<i>morphine concentrate</i>	5
<i>meloxicam</i>	8	<i>metoprolol succinate</i>	80	MOUNJARO	44
<i>memantine</i>	39, 40	<i>metoprolol ta-hydrochlorothiaz</i>	80	MOVANTIK.....	154
MENACTRA (PF)	170	<i>metoprolol tartrate</i>	80	<i>moxifloxacin</i>	18, 149
MENQUADFI (PF).....	170	<i>metronidazole</i> .. 13, 51, 103, 104		<i>moxifloxacin-sod.ace,sul-water</i>	18
MENVEO A-C-Y-W-135-DIP (PF).....	170	<i>metronidazole in nacl (iso-os)</i> 13		<i>moxifloxacin-sod.chloride(iso)</i>	18
MEPSEVII	146	<i>metyrosine</i>	82	MOZOBIL	72
<i>mercaptapurine</i>	28	<i>mexiletine</i>	79	MULTAQ	79
<i>meropenem</i>	16	<i>miconazole-3</i>	49	<i>mupirocin</i>	104
<i>merzee</i>	97	MICRODOT INSULIN PEN NEEDLE.....	127	MVASI.....	28
<i>mesalamine</i>	173	<i>microgestin fe 1/20 (28)</i>	97	<i>mycophenolate mofetil</i>	167
<i>mesna</i>	176	<i>midazolam</i>	11	<i>mycophenolate mofetil (hcl)</i> .	167
MESNEX	176	<i>midodrine</i>	76	<i>mycophenolate sodium</i>	167
<i>metadate er</i>	91	<i>miglitol</i>	44	<i>mynatal</i>	188
<i>metformin</i>	43, 44	<i>miglustat</i>	146	<i>mynatal advance</i>	188
		<i>mili</i>	97	<i>mynatal plus</i>	188
		<i>mimvey</i>	159	<i>mynatal-z</i>	188
		MINI ULTRA-THIN II	127	<i>mynate 90 plus</i>	188
		<i>minocycline</i>	19	MYRBETRIQ	156
		<i>minoxidil</i>	87		
		<i>mirtazapine</i>	42		
		<i>misoprostol</i>	153		

N		
<i>nabumetone</i>	8	
<i>nadolol</i>	80	
<i>nafcillin</i>	17	
<i>nafcillin in dextrose iso-osm</i> ..	17	
NAGLAZYME	146	
<i>naloxone</i>	10	
<i>naltrexone</i>	10	
NAMZARIC	40	
<i>naproxen</i>	8	
<i>naratriptan</i>	52	
NATACYN	149	
<i>nateglinide</i>	44	
NATPARA	174	
NAYZILAM	37	
<i>nebivolol</i>	80	
<i>necon 0.5/35 (28)</i>	97	
<i>nefazodone</i>	42	
<i>neomycin</i>	12	
<i>neomycin-bacitracin-poly-hc</i>	149	
<i>neomycin-bacitracin-polymyxin</i>	149	
<i>neomycin-polymyxin b gu</i>	104	
<i>neomycin-polymyxin b-</i> <i>dexameth</i>	149	
<i>neomycin-polymyxin-gramicidin</i>	149	
<i>neomycin-polymyxin-hc</i>	149	
<i>neo-polycin</i>	150	
<i>neo-polycin hc</i>	149	
NERLYNX	28	
NEULASTA ONPRO	72	
NEUPRO	57	
<i>nevirapine</i>	65	
<i>newgen</i>	188	
NEXLETOL	86	
NEXLIZET	86	
<i>niacin</i>	86	
<i>niacor</i>	86	
<i>nicardipine</i>	83	
NICOTROL	10	
<i>nifedipine</i>	83	
<i>nikki (28)</i>	97	
<i>nilutamide</i>	28	
NINLARO	28	
<i>nitazoxanide</i>	55	
<i>nitisinone</i>	146	
<i>nitrofurantoin macrocrystal</i> ..	13	
<i>nitrofurantoin monohyd/m-cryst</i>	13	
<i>nitroglycerin</i>	87	
<i>niva-plus</i>	188	
NIVESTYM	72	
<i>nizatidine</i>	153	
NORDITROPIN FLEXP RO	161	
<i>norethindrone (contraceptive)</i>	97	
<i>norethindrone acetate</i>	163	
<i>norethindrone ac-eth estradiol</i>	97, 159	
<i>norethindrone-e.estradiol-iron</i>	97, 98	
<i>norgestimate-ethinyl estradiol</i>	98	
NORMOSOL-M IN 5 % DEXTROSE	180	
<i>nortrel 0.5/35 (28)</i>	98	
<i>nortrel 1/35 (21)</i>	98	
<i>nortrel 1/35 (28)</i>	98	
<i>nortrel 7/7/7 (28)</i>	98	
<i>nortriptyline</i>	42	
NORVIR	66	
NOVOFINE 30	128	
NOVOFINE 32	128	
NOVOFINE PLUS	128	
NOVOLIN 70/30 U-100 INSULIN	46	
NOVOLIN 70-30 FLEXPEN U- 100	46	
NOVOLIN N FLEXPEN	46	
NOVOLIN N NPH U-100 INSULIN	46	
NOVOLIN R FLEXPEN	46	
NOVOLIN R REGULAR U100 INSULIN	46	
NOVOTWIST	128	
NOXAFIL	49	
NPLATE	72	
NUBEQA	28	
NUCALA	184	
NULOJIX	167	
NUPLAZID	60	
NURTEC ODT	52	
NUTRILIPID	75	
<i>nyamyc</i>	49	
<i>nylia 1/35 (28)</i>	98	
<i>nylia 7/7/7 (28)</i>	98	
<i>nymyo</i>	98	
<i>nystatin</i>	49	
<i>nystatin-triamcinolone</i>	49	
<i>nystop</i>	49	
NYVEPRIA	72	
O		
<i>obstetrix dha</i>	188	
<i>obstetrix dha prenatal duo</i> ...	188	
<i>o-cal prenatal</i>	188	
OCALIVA	154	
OCREVUS	91	
OCTAGAM	167	
<i>octreotide acetate</i>	161, 162	
ODEFSEY	66	
ODOMZO	28	
OFEV	184	
<i>ofloxacin</i>	150	
OGIVRI	28	
<i>olanzapine</i>	60, 61	
<i>olmesartan</i>	76	
<i>olmesartan-amlodipin-hctiazid</i>	77	
<i>olmesartan-hydrochlorothiazide</i>	77	
<i>olopatadine</i>	148	
OLUMIANT	167	
<i>omega-3 acid ethyl esters</i>	86	
<i>omeprazole</i>	153	
<i>omeprazole-sodium bicarbonate</i>	153	

OMNIPOD 5 G6 INTRO KIT (GEN 5).....	128	ORKAMBI	184	PEN NEEDLE, DIABETIC, SAFETY	132
OMNIPOD 5 G6 PODS (GEN 5).....	128	ORSERDU.....	28, 29	<i>penciclovir</i>	102
OMNIPOD CLASSIC PODS (GEN 3).....	129	<i>oseltamivir</i>	67, 68	<i>penicillamine</i>	157
OMNIPOD DASH INTRO KIT (GEN 4).....	129	OSMOLEX ER.....	57	<i>penicillin g potassium</i>	17
OMNIPOD DASH PDM KIT (GEN 4).....	129	OTEZLA.....	167	<i>penicillin g procaine</i>	17
OMNIPOD DASH PODS (GEN 4).....	129	OTEZLA STARTER.....	167	<i>penicillin v potassium</i>	17
OMNIPOD GO PODS	129	<i>oxaliplatin</i>	29	PENTACEL (PF).....	171
OMNIPOD GO PODS 10 UNITS/DAY	129	<i>oxandrolone</i>	157	<i>pentamidine</i>	55
OMNIPOD GO PODS 15 UNITS/DAY	129	<i>oxazepam</i>	11	PENTIPS.....	130
OMNIPOD GO PODS 20 UNITS/DAY	129	<i>oxcarbazepine</i>	37	<i>pentoxifylline</i>	74
OMNIPOD GO PODS 25 UNITS/DAY	129	OXLUMO.....	176	<i>perindopril erbumine</i>	78
OMNIPOD GO PODS 30 UNITS/DAY	129	<i>oxybutynin chloride</i>	156	<i>periogard</i>	101
OMNIPOD GO PODS 40 UNITS/DAY	129	<i>oxycodone</i>	5	<i>permethrin</i>	107
<i>ondansetron</i>	54	<i>oxycodone-acetaminophen</i>	5	<i>perphenazine</i>	61
<i>ondansetron hcl</i>	54	OXYCONTIN	6	<i>perphenazine-amitriptyline</i>	42
<i>ondansetron hcl (pf)</i>	54	<i>oxymorphone</i>	6	PERSERIS	61
ONGENTYS	57	OZEMPIC.....	44	<i>pfizerpen-g</i>	17
ONTRUZANT	28	P		<i>phenelzine</i>	42
ONUREG	28	<i>pacerone</i>	79	<i>phenobarbital</i>	37
OPDIVO.....	28	<i>paclitaxel</i>	29	<i>phenylephrine hcl</i>	76
OPDUALAG.....	28	<i>paclitaxel protein-bound</i>	29	<i>phenytoin</i>	37
OPSUMIT	186	<i>paliperidone</i>	61	<i>phenytoin sodium</i>	37
<i>oralone</i>	101	PALYNZIQ	147	<i>phenytoin sodium extended</i>	37
ORENCIA	167	<i>pamidronate</i>	174	<i>philith</i>	98
ORENCIA (WITH MALTOSE)	167	PANRETIN	102	PHOSLYRA	155
ORENCIA CLICKJECT	167	<i>pantoprazole</i>	153	PIFELTRO	66
ORFADIN	146	<i>paricalcitol</i>	174	<i>pilocarpine hcl</i>	101, 178
ORGOVYX.....	162	<i>paroex oral rinse</i>	101	<i>pimecrolimus</i>	106
ORILISSA.....	162	<i>paromomycin</i>	55	<i>pimozide</i>	61
		<i>paroxetine hcl</i>	42	<i>pimtrea (28)</i>	98
		PAXLOVID.....	68	<i>pindolol</i>	80
		PEDIARIX (PF)	171	<i>pioglitazone</i>	44
		PEDVAX HIB (PF).....	171	<i>pioglitazone-metformin</i>	44
		PEGASYS	69	PIP PEN NEEDLE.....	130
		<i>peg-electrolyte soln</i>	155	<i>piperacillin-tazobactam</i>	17
		PEMAZYRE.....	29	PIQRAY.....	29
		<i>pemetrexed</i>	29	<i>pirfenidone</i>	184
		<i>pemetrexed disodium</i>	29	<i>pirmella</i>	98
		PEN NEEDLE	122, 129, 130, 132	<i>piroxicam</i>	8
		PEN NEEDLE, DIABETIC	114, 127, 129, 130, 131	PLASMA-LYTE A.....	180
				PLEGRIDY.....	92

<i>plerixafor</i>	72	<i>prenatal 19 (with docusate)</i>	189	PROLENSA.....	151
<i>pnv 29-1</i>	188	<i>prenatal low iron</i>	189	PROLIA.....	174
<i>pnv-dha + docusate</i>	188	<i>prenatal plus</i>	189	PROMACTA.....	72
<i>pnv-omega</i>	188	<i>prenatal plus (calcium carb)</i>	188	<i>promethazine</i>	51, 54, 55
<i>pnv-vp-u</i>	188	<i>prenatal vitamin plus low iron</i>	189	<i>promethegan</i>	55
<i>podofilox</i>	102	<i>prenatal-u</i>	189	<i>propafenone</i>	79
<i>polycin</i>	150	<i>preplus</i>	189	<i>proparacaine</i>	148
<i>polymyxin b sulfate</i>	13	<i>pretab</i>	189	<i>propranolol</i>	80
<i>polymyxin b sulf-trimethoprim</i>	150	PRETOMANID.....	53	<i>propranolol-hydrochlorothiazid</i>	80
POMALYST.....	29	<i>prevalite</i>	86	<i>propylthiouracil</i>	163
<i>portia 28</i>	98	PREVENT DROPSAFE PEN NEEDLE.....	130	PROQUAD (PF).....	171
<i>posaconazole</i>	49	PREVYMIS.....	68	PROSOL 20 %.....	75
<i>potassium chloride</i>	180	PREZCOBIX.....	66	<i>protamine</i>	73
<i>potassium chloride-0.45 % nacl</i>	180	PREZISTA.....	66	<i>protriptyline</i>	42
<i>potassium citrate</i>	180	PRIFTIN.....	53	PULMOZYME.....	147
<i>pr natal 400</i>	188	PRIMAQUINE.....	55	PURE COMFORT ALCOHOL PADS.....	102
<i>pr natal 400 ec</i>	188	<i>primidone</i>	38	PURE COMFORT PEN NEEDLE.....	131
<i>pr natal 430</i>	188	PRIORIX (PF).....	171	PURE COMFORT SAFETY PEN NEEDLE.....	131
<i>pr natal 430 ec</i>	188	PRIVIGEN.....	168	PURIXAN.....	29
PRALUENT PEN.....	86	PRO COMFORT ALCOHOL PADS.....	102	<i>pyrazinamide</i>	53
<i>pramipexole</i>	57	PRO COMFORT INSULIN SYRINGE.....	130, 131	<i>pyridostigmine bromide</i>	176, 177
<i>prasugrel</i>	74	PRO COMFORT PEN NEEDLE.....	131	<i>pyrimethamine</i>	55
<i>pravastatin</i>	86	PROAIR RESPICLICK.....	183	Q	
<i>prazosin</i>	76	<i>probenecid</i>	50	QINLOCK.....	29
<i>prednicarbate</i>	106	<i>probenecid-colchicine</i>	50	QUADRACEL (PF).....	171
<i>prednisolone</i>	160	<i>procainamide</i>	79	<i>quetiapine</i>	61
<i>prednisolone acetate</i>	151	<i>prochlorperazine</i>	54	<i>quinapril</i>	78
<i>prednisolone sodium phosphate</i>	151, 160	<i>prochlorperazine edisylate</i>	54	<i>quinapril-hydrochlorothiazide</i>	78
<i>prednisone</i>	160	<i>prochlorperazine maleate</i>	54	<i>quinidine gluconate</i>	79
<i>pregabalin</i>	37, 38	<i>proctosol hc</i>	106	<i>quinidine sulfate</i>	79
PREHEVBRIO (PF).....	171	<i>proctozone-hc</i>	106	<i>quinine sulfate</i>	55
PREMARIN.....	159	PRODIGY INSULIN SYRINGE.....	131	QULIPTA.....	52
PREMPHASE.....	159	<i>progesterone</i>	163	R	
PREMPRO.....	159	<i>progesterone micronized</i>	163	RABAVERT (PF).....	171
<i>prenal true</i>	189	PROGRAF.....	168	<i>rabeprazole</i>	153
<i>prenaissance</i>	189	PROLASTIN-C.....	184, 185	RADICAVA.....	92
<i>prenaissance plus</i>	189			<i>raloxifene</i>	159
<i>prenatabs fa</i>	189			<i>ramipril</i>	78
<i>prenatal 19</i>	189				

<i>ranolazine</i>	82	<i>risperidone</i>	61, 62	SELZENTRY.....	66
<i>rasagiline</i>	57	<i>ritonavir</i>	66	SEMGLEE(INSULIN	
RASUVO (PF)	168	RITUXAN HYCELA	30	GLARGINE-YFGN).....	46
RAVICTI.....	154	<i>rivastigmine</i>	40	SEMGLEE(INSULIN GLARG-	
RAYALDEE	175	<i>rivastigmine tartrate</i>	40	YFGN)PEN.....	46
<i>reclipsen (28)</i>	98	<i>rizatriptan</i>	52	<i>se-natal 19 chewable</i>	189
RECOMBIVAX HB (PF)	171	<i>r-natal ob</i>	189	SEREVENT DISKUS.....	183
RECTIV	177	ROCKLATAN.....	178	SEROSTIM.....	162
REGRANEX	102	<i>roflumilast</i>	185	<i>sertraline</i>	42
RELENZA DISKHALER.....	68	ROLVEDON	73	<i>setlakin</i>	98
RELEUKO	72	<i>ropinirole</i>	57	<i>sevelamer carbonate</i>	155
RELION NEEDLES	132	<i>rosadan</i>	104	<i>sevelamer hcl</i>	155
RELION PEN NEEDLES	132	<i>rosuvastatin</i>	87	SEZABY	38
RELISTOR.....	154	ROTARIX	172	<i>sf 5000 plus</i>	101
RENFLEXIS	168	ROTATEQ VACCINE.....	172	<i>sharobel</i>	98
<i>repaglinide</i>	44	ROZLYTREK	30	SHINGRIX (PF)	172
<i>repaglinide-metformin</i>	44	RUBRACA.....	30	SIGNIFOR	162
REPATHA PUSHTRONEX ..	86	<i>rufinamide</i>	38	<i>sildenafil</i>	187
REPATHA SURECLICK	86	RUKOBIA.....	66	<i>sildenafil (pulm.hypertension)</i>	
REPATHA SYRINGE	86	RUXIENCE	30		186
RESTASIS	151	RYBELSUS	44	<i>silver sulfadiazine</i>	104
RESTASIS MULTIDOSE ..	151	RYBREVANT.....	30	SIMBRINZA.....	178
RETACRIT	73	RYDAPT	30	<i>simliya (28)</i>	98
RETEVMO.....	29	S		<i>simpeesse</i>	99
RETROVIR.....	66	SAFESNAP INSULIN		<i>simvastatin</i>	87
REVCovi.....	147	SYRINGE.....	132	<i>sirolimus</i>	168
<i>revonto</i>	185	SAFETY PEN NEEDLE	132	SIRTURO	53
REXULTI.....	61	<i>sajazir</i>	82	SKY SAFETY PEN NEEDLE	
REYATAZ	66	SANTYL	102		133
REZLIDHIA.....	29	<i>sapropterin</i>	147	SLYND	99
REZUROCK	168	SAVELLA.....	92	<i>sodium chloride 0.45 %</i>	180
RHOPRESSA.....	178	SCSEMBLIX.....	30	<i>sodium chloride 0.9 %</i> .	180, 181
RIABNI.....	29	<i>scopolamine base</i>	55	<i>sodium fluoride-pot nitrate</i> ..	101
<i>ribavirin</i>	69	SECUADO	62	<i>sodium oxybate</i>	186
RIDAURA.....	168	SECURESAFE INSULIN		<i>sodium phenylbutyrate</i>	154
<i>rifabutin</i>	53	SYRINGE.....	133	<i>sodium polystyrene sulfonate</i>	154
<i>rifampin</i>	53	SECURESAFE PEN NEEDLE		<i>sodium,potassium,mag sulfates</i>	
<i>rilpivirine</i>	66		133		155
<i>riluzole</i>	92	<i>select-ob</i>	189	SOLQUA 100/33.....	47
<i>rimantadine</i>	68	<i>select-ob (folic acid)</i>	189	SOLTAMOX	30
<i>risedronate</i>	175	<i>selegiline hcl</i>	57	SOLU-CORTEF ACT-O-VIAL	
RISPERDAL CONSTA	61	<i>selenium sulfide</i>	104	(PF)	160

SOMATULINE DEPOT	162	<i>sunitinib malate</i>	30	TAFINLAR.....	30, 31
SOMAVERT	162	SUNLENCA	66	<i>tafluprost (pf)</i>	178
<i>sorafenib</i>	30	SUNOSI.....	186	TAGRISSO	31
<i>sorine</i>	80	SUPPRELIN LA.....	162	TAKHZYRO.....	177
<i>sotalol</i>	80	SURE COMFORT ALCOHOL		TALVEY.....	31
<i>sotalol af</i>	80	PREP PADS	103	TALZENNA	31
SPIRIVA RESPIMAT.....	183	SURE COMFORT INS. SYR.		<i>tamoxifen</i>	31
SPIRIVA WITH		U-100	133	<i>tamsulosin</i>	156
HANDIHALER.....	183	SURE COMFORT INSULIN		<i>tarina 24 fe</i>	99
<i>spironolactone</i>	84	SYRINGE.....	133, 134	<i>tarina fe 1-20 eq (28)</i>	99
<i>spironolacton-hydrochlorothiaz</i>		SURE COMFORT PEN		<i>taron-c dha</i>	189
.....	84	NEEDLE.....	134	<i>taron-prex prenatal-dha</i>	189
SPRAVATO	42	SURE COMFORT SAFETY		TASCENSO ODT.....	92
<i>sprintec (28)</i>	99	PEN NEEDLE	133	TASIGNA	31
SPRITAM.....	38	SURE-FINE PEN NEEDLES		<i>tasimelteon</i>	186
SPRYCEL	30		134	TAVALISSE.....	73
<i>sps (with sorbitol)</i>	154	SURE-JECT INSULIN		<i>tazarotene</i>	107
<i>sronyx</i>	99	SYRINGE.....	134	TAZORAC.....	107
<i>ssd</i>	104	SURE-PREP ALCOHOL PREP		<i>taztia xt</i>	81
<i>stavudine</i>	66	PADS	103	TAZVERIK.....	31
STELARA.....	168	SUTAB	155	TDVAX.....	172
STERILE PADS.....	133	<i>syeda</i>	99	TECENTRIQ	31
STIOLTO RESPIMAT	183	SYMDEKO	185	TECHLITE INSULIN	
STIVARGA.....	30	SYMJEPI.....	82, 83	SYRINGE	135
STRENSIQ.....	147	SYMLINPEN 120	44	TECHLITE INSULN	
<i>streptomycin</i>	12	SYMLINPEN 60	44	SYR(HALF UNIT)..	134, 135
STRIBILD.....	66	SYMPAZAN	38	TECHLITE PEN NEEDLE	135,
STRIVERDI RESPIMAT	183	SYMTUZA.....	67	136	
SUBLOCADE.....	10	SYNAGIS.....	68	TECVAYLI.....	31
<i>subvenite</i>	38	SYNAREL.....	162	TEFLARO.....	15
<i>sucrafate</i>	153	SYNJARDY	45	<i>telmisartan</i>	77
<i>sulfacetamide sodium</i>	150	SYNJARDY XR.....	45	<i>telmisartan-amlodipine</i>	77
<i>sulfacetamide sodium (acne)</i>	104	SYNRIBO.....	30	<i>telmisartan-hydrochlorothiazid</i>	
<i>sulfacetamide-prednisolone</i> .	150	SYRINGE WITH NEEDLE,			77
<i>sulfadiazine</i>	18	SAFETY	132	<i>temazepam</i>	11
<i>sulfamethoxazole-trimethoprim</i>		T		TEMIXYS.....	67
.....	18	TABLOID.....	30	<i>tencon</i>	6
<i>sulfasalazine</i>	173	TABRECTA	30	TENIVAC (PF).....	172
<i>sulindac</i>	8	<i>tacrolimus</i>	106, 168	<i>tenofovir disoproxil fumarate</i>	67
<i>sumatriptan</i>	52	<i>tadalafil</i>	187	TEPEZZA	148
<i>sumatriptan succinate</i>	52	<i>tadalafil (pulm. hypertension)</i>		TEPMETKO	31
<i>sumatriptan-naproxen</i>	52		187	<i>terazosin</i>	156

<i>terbinafine hcl</i>	49	<i>topiramate</i>	38	<i>tri-lo-marzia</i>	99
<i>terbutaline</i>	183	<i>toposar</i>	31	<i>tri-lo-mili</i>	99
<i>terconazole</i>	51	<i>toremifene</i>	31	<i>tri-lo-sprintec</i>	99
<i>teriflunomide</i>	92	<i>torsemide</i>	84	<i>trimethoprim</i>	13
TERUMO INSULIN SYRINGE	136	TOTECT	177	<i>tri-mili</i>	99
<i>testosterone</i>	157, 158	TOUJEO MAX U-300		<i>trimipramine</i>	42
<i>testosterone cypionate</i>	157	SOLOSTAR.....	47	TRINTELLIX	42
<i>testosterone enanthate</i>	157	TOUJEO SOLOSTAR U-300		<i>tri-nymyo</i>	99
TETANUS,DIPHThERIA TOX		INSULIN	47	TRIPTODUR	162
PED(PF)	172	TRACLEER.....	187	<i>tri-sprintec (28)</i>	99
<i>tetrabenazine</i>	92	TRADJENTA	45	TRIUMEQ	67
<i>tetracycline</i>	19	<i>tramadol</i>	6	TRIUMEQ PD	67
THALOMID.....	177	<i>tramadol-acetaminophen</i>	6	<i>triveen-duo dha</i>	189
<i>theophylline</i>	183	<i>trandolapril</i>	78	<i>trivora (28)</i>	99
THINPRO INSULIN SYRINGE	136	<i>trandolapril-verapamil</i>	78	<i>tri-vylibra</i>	99
<i>thioridazine</i>	62	<i>tranexamic acid</i>	73	<i>tri-vylibra lo</i>	99
<i>thiothixene</i>	62	<i>tranylcypromine</i>	42	TRIZIVIR	67
<i>tiadylt er</i>	81	TRAVASOL 10 %.....	75	TROGARZO.....	67
<i>tiagabine</i>	38	<i>travoprost</i>	178	TROPHAMINE 10 %.....	75
TIBSOVO.....	31	TRAZIMERA.....	31	<i>trospium</i>	156
TICE BCG.....	31	<i>trazodone</i>	42	TRUE COMFORT ALCOHOL	
TICOVAC	172	TRECATOR	53	PADS	103
<i>tigecycline</i>	19	TRELEGY ELLIPTA.....	183	TRUE COMFORT INSULIN	
<i>timolol maleate</i>	80, 178	TRELSTAR.....	31	SYRINGE	137
<i>tinidazole</i>	55	<i>treprostinil sodium</i>	187	TRUE COMFORT PEN	
<i>tiopronin</i>	156	<i>tretinoin</i>	107	NEEDLE	137, 138
TIVDAK.....	31	<i>tretinoin (antineoplastic)</i>	32	TRUE COMFORT PRO	
TIVICAY	67	<i>triamcinolone acetonide</i>	101,	ALCOHOL PADS	103
TIVICAY PD	67	107, 160		TRUE COMFORT PRO INS	
<i>tizanidine</i>	185	<i>triamterene-hydrochlorothiazid</i>	84, 85	SYRINGE	137, 138
TOBI PODHALER	12	<i>triazolam</i>	11, 12	TRUE COMFORT SAFETY	
<i>tobramycin</i>	12, 150	<i>trientine</i>	157	PEN NEEDLE	137
<i>tobramycin in 0.225 % nacl</i> ...	12	<i>tri-estarylla</i>	99	TRUEPLUS INSULIN 138, 139	
<i>tobramycin sulfate</i>	12	<i>trifluoperazine</i>	62	TRUEPLUS PEN NEEDLE 138	
<i>tobramycin-dexamethasone</i> ..	150	<i>trifluridine</i>	150	TRULICITY	45
<i>tolmetin</i>	8	<i>trihexyphenidyl</i>	57	TRUMENBA	172
<i>tolterodine</i>	156	TRIJARDY XR	45	TRUSELTIQ.....	32
TOPCARE CLICKFINE.....	137	TRIKAFTA	185	TRUXIMA.....	32
TOPCARE ULTRA		<i>tri-legest fe</i>	99	TUKYSA	32
COMFORT.....	137	<i>tri-linyah</i>	99	<i>tulana</i>	100
		<i>tri-lo-estarylla</i>	99	TURALIO	32
				TWINRIX (PF)	172

<i>tyblume</i>	100	ULTRACARE PEN NEEDLE	142, 143	VARIVAX (PF)	173
TYBOST	177	ULTRA-THIN II (SHORT) INS SYR	143	VASCEPA	87
TYMLOS	175	ULTRA-THIN II (SHORT) PEN NDL	143	VEGZELMA	32
TYPHIM VI	172	ULTRA-THIN II INS PEN NEEDLES	143	VEKLURY	70
TYSABRI	168	ULTRA-THIN II INSULIN SYRINGE	143	VELCADE	32
TYVASO	187	UNIFINE PEN NEEDLE	143	<i>velivet triphasic regimen (28)</i>	100
U		UNIFINE PENTIPS ...	129, 143, 144	VELPHORO	155
UBREL VY	52	UNIFINE PENTIPS MAXFLOW	144	VELTASSA	155
UDENYCA	73	UNIFINE PENTIPS PLUS..	144	VEMLIDY	67
UDENYCA AUTOINJECTOR	73	UNIFINE PENTIPS PLUS MAXFLOW	144	VENCLEXTA	32
ULTICARE	139, 140	UNIFINE SAFECONTROL	144	VENCLEXTA STARTING PACK	32
ULTICARE INSULIN SYRINGE	139	UNIFINE ULTRA PEN NEEDLE	144	<i>venlafaxine</i>	43
ULTICARE INSULN SYR(HALF UNIT)	139	UPTRAVI	187	<i>venlafaxine besylate</i>	43
ULTICARE PEN NEEDLE	139	<i>ursodiol</i>	155	<i>verapamil</i>	81, 82
ULTICARE SAFETY PEN NEEDLE	139	UZEDY	62	VERIFINE INSULIN SYRINGE	145
ULTIGUARD SAFEPAK-INSULIN SYR	140	V		VERIFINE PEN NEEDLE ..	145
ULTIGUARD SAFEPAK-PEN NEEDLE	140	<i>valacyclovir</i>	69	VERIFINE PLUS PEN NEEDLE	145
ULTILET ALCOHOL SWAB	103	VALCHLOR	103	VERQUVO	83
ULTILET INSULIN SYRINGE	124, 140, 141	<i>valganciclovir</i>	69	VERSACLOZ	62
ULTILET PEN NEEDLE	141	<i>valproate sodium</i>	38	VERSALON	145
ULTRA CMFT INS SYR (HALF UNIT)	122, 133	<i>valproic acid</i>	38	VERZENIO	32
ULTRA COMFORT INSULIN SYRINGE	117, 122, 141	<i>valproic acid (as sodium salt)</i>	38	<i>vestura (28)</i>	100
ULTRA FLO INSUL SYR(HALF UNIT)	141	<i>valsartan</i>	77	V-GO 20	145
ULTRA FLO INSULIN SYRINGE	142	<i>valsartan-hydrochlorothiazide</i>	77	V-GO 30	145
ULTRA FLO PEN NEEDLE	141, 142	VALTOCO	38	V-GO 40	145
ULTRA THIN PEN NEEDLE	142	<i>vancomycin</i>	13	<i>vienna</i>	100
ULTRACARE INSULIN SYRINGE	142	VANFLYTA	32	<i>vigabatrin</i>	38, 39
		VANISHPOINT INSULIN SYRINGE	145	<i>vigadrone</i>	39
		VANISHPOINT SYRINGE	145	<i>vilazodone</i>	43
		VAQTA (PF)	172	VIMIZIM	147
		<i>varenicline</i>	10	<i>vinate care</i>	189
				<i>vinblastine</i>	32
				<i>vincasar pfs</i>	32
				<i>vincristine</i>	32
				<i>vinorelbine</i>	32
				<i>violele (28)</i>	100
				VIRACEPT	67
				VIREAD	67

<i>virt-c dha</i>	189	XARELTO DVT-PE TREAT		<i>zatean-pn dha</i>	190
<i>virt-nate dha</i>	189	30D START	71	<i>zatean-pn plus</i>	190
<i>virt-pn dha</i>	190	XATMEP	33	<i>zebutal</i>	6
<i>virt-pn plus</i>	190	XCOPRI	39	ZEGALOGUE	
VISTOGARD	177	XCOPRI MAINTENANCE		AUTOINJECTOR	177
<i>vitafol gummies</i>	190	PACK	39	ZEGALOGUE SYRINGE ...	177
<i>vitafol nano</i>	190	XCOPRI TITRATION PACK		ZEJULA	34
<i>vitafol-ob+dha</i>	190		39	ZELBORAF	34
VITRAKVI	33	XELJANZ	168	<i>zenatane</i>	103
VIZIMPRO	33	XELJANZ XR	168	ZENPEP	147
VOCABRIA	67	XERMELO	155	<i>zidovudine</i>	67
<i>volnea (28)</i>	100	XGEVA	175	ZIEXTENZO	73
VONJO	33	XHANCE	152	<i>zingiber</i>	190
<i>voriconazole</i>	50	XIFAXAN	13	<i>ziprasidone hcl</i>	63
VOSEVI	69	XIGDUO XR	45	<i>ziprasidone mesylate</i>	63
VOTRIENT	33	XIIDRA	152	ZIRABEV	34
VOWST	177	XOFLUZA	68	ZIRGAN	150
<i>vp-ch-pnv</i>	190	XOLAIR	185	ZOLADEX	34
<i>vp-pnv-dha</i>	190	XOSPATA	33	<i>zoledronic acid</i>	175
VPRIV	147	XPOVIO	33	<i>zoledronic acid-mannitol-water</i>	
VRAYLAR	62	XTAMPZA ER	6		175
VUMERITY	92	XTANDI	33	ZOLINZA	34
<i>vyfemla (28)</i>	100	<i>xulane</i>	100	<i>zolmitriptan</i>	52
<i>vylibra</i>	100	XULTOPHY 100/3.6	47	<i>zolpidem</i>	186
VYZULTA	178	XYOSTED	158	ZONISADE	39
W		Y		<i>zonisamide</i>	39
<i>warfarin</i>	71	YERVOY	33	<i>zovia 1-35 (28)</i>	100
WEBCOL	103	YF-VAX (PF)	173	ZTALMY	39
WELIREG	33	YONSA	34	ZTLIDO	9
<i>wera (28)</i>	100	<i>yuvafem</i>	159	<i>zumandimine (28)</i>	100
<i>wixela inhub</i>	181	Z		ZYDELIG	34
X		<i>zafemy</i>	100	ZYKADIA	34
XADAGO	57	<i>zafirlukast</i>	182	ZYLET	150
XALKORI	33	<i>zaleplon</i>	186	ZYNLONTA	34
XARELTO	71	<i>zarah</i>	100	ZYNYZ	34
		ZARXIO	73	ZYPREXA RELPREVV	63

反歧視與無障礙設施規定

歧視是違反法律的行為。

Clever Care Health Plan Inc. (以下簡稱 Clever Care) 遵循適用的聯邦民權法，不會基於種族、膚色、原國籍、年齡、殘疾或性別 (包括懷孕、性取向和性別認同) 而歧視。Clever Care 不會因種族、膚色、原國籍、年齡、殘疾或性別 (包括懷孕、性取向和性別認同) 而排斥或區別對待他人。

Clever Care:

- 為殘障人士提供免費輔助和服務，讓其可以有效地與我們溝通，例如：
 - 合格手語翻譯員
 - 其他格式的書面資訊 (大字版、語音版、無障礙電子格式、其他格式)
- 為母語非英語的人士提供免費語言服務，例如：
 - 合格口譯員
 - 其他語言版本的書面資訊

如果您需要上述服務，請致電 (833) 808-8153 (普通話) | (833) 808-8161 (粵語) (TTY: 711)。

如果您認為 Clever Care 未能提供這些服務或基於種族、膚色、原國籍、年齡、殘疾或性別 (包括懷孕、性取向和性別認同) 以其他方式歧視，您可以遞交投訴到：

Clever Care Health Plan
Attn: Civil Rights Coordinator
7711 Center Ave
Suite 100
Huntington Beach CA 92647

電子郵件：civilrightscordinator@ccmapd.com
傳真：(657) 276-4721

您可以通過郵件、傳真或電子郵件提出申訴。如果您需要幫助提出申訴時，我們的 Clever Care 民權利協調員可以為您提供幫助。

您也可以向美國衛生與公眾服務部的民權辦事處提出民權投訴，請透過民權辦事處的投訴入口網站 <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf> 在線上提出投訴或者透過郵件或電話提出投訴：U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (聽障專線)。
您可在 <http://www.hhs.gov/ocr/office/file/index.html> 找到投訴表。

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at (833) 388-8168 (TTY:711). Someone who speaks English can help you. This is a free service.

Español (Spanish): Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al (833) 388-8168 (TTY:711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 (833) 808-8153 (TTY:711) (普通话)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 (833) 808-8161 (TTY:711) (粵語)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa (833) 388-8168 (TTY:711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au (833) 388-8168 (TTY:711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi (833) 808-8163 (TTY:711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter (833) 388-8168 (TTY:711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 (833) 808-8164 (TTY:711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону (833) 388-8168 (TTY:711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على (833) 388-8168 (TTY:711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें (833) 388-8168 (TTY:711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero (833) 388-8168 (TTY:711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

Português: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número (833) 388-8168 (TTY:711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal ouwa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan (833) 388-8168 (TTY:711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer (833) 388-8168 (TTY:711). Ta usługa jest bezpłatna.

Japanese: 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、(833) 388-8168 (TTY:711) にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

Khmer: យើងមានសេវាអ្នកបកប្រែដោយឥតគិតថ្លៃដើម្បីឆ្លើយសំណួរទាំងឡាយណាដែលអ្នកមានស្តីអំពីគម្រោងសុខភាព ឬឱសថរបស់យើង។ ដើម្បីទទួលបានអ្នកបកប្រែ សូមទូរស័ព្ទមកយើងតាមរយៈលេខ (833) 388-8168 (TTY:711) ។ អ្នកនិយាយភាសាខ្មែរណាម្នាក់អាចជួយអ្នកបាន។ នេះគឺជាសេវាកម្មឥតគិតថ្លៃ។

Thai: เรามีบริการล่ามฟรีเพื่อตอบคำถามที่คุณอาจมีเกี่ยวกับสุขภาพหรือยาของเรา หากคุณต้องการล่ามแปลภาษาไทย เพียงโทรหาเราที่ (833) 388-8168 (TTY:711) บุคคลที่พูดภาษาอังกฤษสามารถช่วยคุณได้ นี่คือการบริการฟรี

此處方集更新於10/19/2022。如需更多最新資訊或有其他疑問，請致電 Clever Care Health Plan 客戶服務部，電話：**1-833-808-8153 (普通話) 或者 1-833-808-8161 (廣東話)**（聽障專線：**711**），10月1日至3月31日服務時間為每週七天，上午8時至晚上8時；4月1日至9月30日服務時間為週一至週五，上午8時至晚上8時，或造訪 **zh.clevercarehealthplan.com/formulary**。